

rteres

Instrument :

FID_E

ClientSampleId :

PB149941BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12282

Data File : FE039521.D

Signal(s) : FID1B.ch

Acq On : 28 Dec 2022 15:19

Sample : PB149941BSD

Misc :

ALS Vial : 9 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/29/2022

Supervised By :Ankita Jodhani 12/29/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.332	3.291	3.387	BB	422287	4081167	66.98%	2.439%
2	4.577	4.536	4.595	BV	475699	4557714	74.81%	2.723%
3	4.612	4.595	4.675	VB	419995	4109075	67.44%	2.455%
4	6.275	6.235	6.375	BB	419881	4188229	68.74%	2.503%
5	6.737	6.696	6.795	BB	538568	5306158	87.09%	3.171%
6	7.369	7.319	7.472	BB	417747	4214782	69.18%	2.519%
7	8.563	8.516	8.621	BB	536351	5520909	90.61%	3.299%
8	8.668	8.628	8.748	BB	429160	4278819	70.23%	2.557%
9	8.968	8.939	9.049	VB	454081	4524826	74.27%	2.704%
10	9.756	9.713	9.848	BB	404024	4241295	69.61%	2.534%
11	10.168	10.126	10.228	BB	539312	5845487	95.94%	3.493%
12	11.162	11.104	11.207	BV	374926	3973197	65.21%	2.374%
13	11.237	11.207	11.317	VB	356276	3894477	63.92%	2.327%
14	11.612	11.569	11.673	BB	536100	6092720	100.00%	3.641%
15	11.927	11.880	11.982	BB	394075	4184303	68.68%	2.500%
16	12.920	12.881	12.951	BV	507227	5954576	97.73%	3.558%
17	12.981	12.951	13.066	VB	337365	3797096	62.32%	2.269%
18	13.279	13.231	13.321	BV	330050	3797525	62.33%	2.269%
19	13.362	13.321	13.423	VB	278573	3342392	54.86%	1.997%
20	13.529	13.495	13.586	M	488286	5902606	96.88%	3.527%
21	14.117	14.083	14.167	BB	510586	5920631	97.18%	3.538%
22	15.158	15.113	15.178	BV	274111	3318497	54.47%	1.983%
23	15.204	15.178	15.208	VV	355025	3519719	57.77%	2.103%
24	15.220	15.208	15.301	VB	488716	5821182	95.54%	3.478%
25	16.241	16.176	16.295	BB	458800	5770236	94.71%	3.448%
26	16.717	16.666	16.732	BV	253779	3341026	54.84%	1.996%
27	16.748	16.732	16.847	VB	277245	3301423	54.19%	1.973%
28	17.096	17.045	17.154	BV	225124	2982341	48.95%	1.782%
29	17.190	17.154	17.251	VB	427115	5678970	93.21%	3.393%
30	18.079	18.051	18.129	BB	399557	5268986	86.48%	3.149%
31	18.469	18.416	18.486	BV	210188	2855204	46.86%	1.706%
32	18.505	18.486	18.626	VB	193160	2869210	47.09%	1.715%
33	18.725	18.671	18.842	BB	237573	3276788	53.78%	1.958%
34	18.908	18.856	18.971	BB	374811	5402611	88.67%	3.228%
35	19.693	19.651	19.742	BB	359144	4939862	81.08%	2.952%
36	20.433	20.401	20.468	BV	292438	4132822	67.83%	2.470%

rterres
 37 21.168 21.037 21.232 BB 207721 3749313 61.54% 2.240%
 38 22.076 22.002 22.163 BB 139795 3392321 58
 Sum of corrected areas: 1673

Aliphatic EPH 121722.M Wed Dec 28 17:30:22 2022

Instrument :
FID_E
ClientSampleId :
PB149941BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/29/2022
Supervised By :Ankita Jodhani 12/29/2022