

rteres

Instrument :

FID_E

ClientSampleId :

TP-CRMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12282
 Data File : FE039534.D
 Signal(s) : FID1B.ch
 Acq On : 28 Dec 2022 21:57
 Sample : N6220-04MS
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/29/2022
 Supervised By :Ankita Jodhani 12/29/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.330	3.270	3.385	BB	505891	4924296	64.09%	2.649%
2	4.576	4.531	4.594	BV	576199	5540323	72.10%	2.980%
3	4.612	4.594	4.673	VB	458597	4418636	57.51%	2.377%
4	6.274	6.235	6.368	BB	419728	4106650	53.45%	2.209%
5	6.737	6.696	6.793	BB	610583	6105598	79.46%	3.284%
6	7.368	7.311	7.467	BB	421726	4206330	54.74%	2.262%
7	8.564	8.520	8.617	BB	619256	6422727	83.59%	3.454%
8	8.668	8.624	8.750	BB	400972	4124115	53.67%	2.218%
9	8.968	8.941	9.043	VB	457093	4636074	60.34%	2.494%
10	9.756	9.725	9.845	VB	405972	4294600	55.89%	2.310%
11	10.169	10.122	10.225	BB	654489	7201870	93.73%	3.874%
12	11.161	11.100	11.206	BV	374840	4132405	53.78%	2.223%
13	11.236	11.206	11.338	VB	369863	4090923	53.24%	2.200%
14	11.611	11.564	11.663	BV	678000	7683876	100.00%	4.133%
15	11.926	11.891	11.980	BB	335555	3614411	47.04%	1.944%
16	12.920	12.879	12.951	BV	642571	7528856	97.98%	4.049%
17	12.980	12.951	13.064	VB	352878	3934294	51.20%	2.116%
18	13.279	13.236	13.318	BV	373675	4003882	52.11%	2.154%
19	13.361	13.318	13.419	VB	230812	2841824	36.98%	1.528%
20	13.531	13.493	13.575	M	621235	7456919	97.05%	4.011%
21	14.118	14.080	14.176	VB	604452	7476766	97.30%	4.021%
22	15.158	15.113	15.178	BV	272367	3347236	43.56%	1.800%
23	15.208	15.178	15.208	M	390678	3786051	49.27%	2.036%
24	15.220	15.208	15.271	M	599083	6927361	90.15%	3.726%
25	16.242	16.167	16.285	BB	541677	7185243	93.51%	3.865%
26	16.717	16.588	16.731	BV	256236	3382694	44.02%	1.819%
27	16.747	16.731	16.825	VV	263443	3229479	42.03%	1.737%
28	17.096	17.055	17.151	BV	232017	2992280	38.94%	1.609%
29	17.189	17.151	17.219	VV	527678	7016090	91.31%	3.774%
30	18.078	18.020	18.125	M	507187	6763049	88.02%	3.638%
31	18.468	18.364	18.485	BV	216516	2985979	38.86%	1.606%
32	18.505	18.485	18.601	VB	184033	2649235	34.48%	1.425%
33	18.726	18.668	18.831	BB	241819	3273824	42.61%	1.761%
34	18.910	18.849	18.961	BB	473958	6625376	86.22%	3.563%
35	19.693	19.651	19.736	BB	414180	5941797	77.33%	3.196%
36	20.434	20.379	20.485	M	319038	4692067	61.06%	2.524%

rterres
 37 21.167 21.111 21.250 BB 211952 3573181 46.50% 1.922%
 38 22.077 22.000 22.153 BB 121944 2807895 36
 Sum of corrected areas: 1859

Aliphatic EPH 121722.M Thu Dec 29 03:34:14 2022

Instrument :
 FID_E
 ClientSampleId :
 TP-CRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/29/2022
 Supervised By :Ankita Jodhani 12/29/2022