

rteres

Instrument :

FID_E

ClientSampleId :

TP-CRMSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE12282
 Data File : FE039535.D
 Signal(s) : FID1B.ch
 Acq On : 28 Dec 2022 22:27
 Sample : N6220-04MSD
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Reviewed By :Yogesh Patel 12/29/2022
 Supervised By :Ankita Jodhani 12/29/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.330	3.271	3.387	BB	504682	4899969	64.14%	2.631%
2	4.577	4.537	4.595	BV	578375	5511480	72.14%	2.959%
3	4.612	4.595	4.678	VB	446331	4395600	57.54%	2.360%
4	6.274	6.232	6.372	BB	412523	4086490	53.49%	2.194%
5	6.737	6.692	6.791	BB	610031	6070525	79.46%	3.259%
6	7.369	7.325	7.473	BB	409909	4195313	54.91%	2.253%
7	8.563	8.516	8.615	BB	612416	6383637	83.56%	3.427%
8	8.668	8.623	8.755	BB	403882	4107235	53.76%	2.205%
9	8.968	8.938	9.043	VB	452429	4610872	60.35%	2.476%
10	9.756	9.726	9.844	VB	400458	4271914	55.92%	2.294%
11	10.170	10.124	10.232	BB	643768	7162286	93.75%	3.846%
12	11.161	11.101	11.208	BV	375525	4119755	53.93%	2.212%
13	11.236	11.208	11.336	VB	365245	4079551	53.40%	2.190%
14	11.611	11.562	11.666	BV	666779	7639743	100.00%	4.102%
15	11.927	11.891	11.976	BB	335761	3589598	46.99%	1.927%
16	12.921	12.881	12.951	BV	626342	7485727	97.98%	4.019%
17	12.981	12.951	13.069	VB	355352	3937154	51.54%	2.114%
18	13.279	13.236	13.316	BV	356502	4001042	52.37%	2.148%
19	13.362	13.316	13.422	VB	224901	2828800	37.03%	1.519%
20	13.532	13.495	13.577	M	632307	7409692	96.99%	3.978%
21	14.118	14.080	14.164	VB	606239	7429975	97.25%	3.989%
22	15.158	15.113	15.178	BV	280560	3419639	44.76%	1.836%
23	15.208	15.179	15.209	M	406739	3803902	49.79%	2.042%
24	15.221	15.209	15.255	M	598214	6890853	90.20%	3.700%
25	16.243	16.171	16.289	BB	540513	7150986	93.60%	3.839%
26	16.717	16.594	16.732	BV	261620	3457199	45.25%	1.856%
27	16.748	16.732	16.829	VV	271322	3331394	43.61%	1.789%
28	17.098	17.004	17.151	BV	243254	3122598	40.87%	1.677%
29	17.191	17.151	17.220	VV	515417	6987393	91.46%	3.752%
30	18.079	18.032	18.123	M	494137	6728343	88.07%	3.613%
31	18.470	18.414	18.487	BV	226411	3177447	41.59%	1.706%
32	18.506	18.487	18.616	VB	206485	2933389	38.40%	1.575%
33	18.727	18.671	18.836	BB	248971	3457227	45.25%	1.856%
34	18.911	18.850	18.969	BB	459408	6615432	86.59%	3.552%
35	19.695	19.651	19.736	BV	432680	5944268	77.81%	3.192%
36	20.435	20.389	20.471	M	323285	4643888	60.79%	2.493%

rterres
 37 21.168 21.115 21.236 BB 206296 3554639 46.53% 1.909%
 38 22.078 21.998 22.156 BB 116091 2815951 36
 Sum of corrected areas: 1862

Aliphatic EPH 121722.M Thu Dec 29 03:36:17 2022

Instrument :
 FID_E
 ClientSampleId :
 TP-CRMSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/29/2022
 Supervised By :Ankita Jodhani 12/29/2022