

Data Path : P:\HPCHEM1\FID E\Data\FE041018\
 Data File : FE026594.D
 Signal(s) : FID1B.CH
 Acq On : 10 Apr 2018 17:38
 Operator : UA/AJ
 Sample : J2302-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Apr 11 05:06:38 2018
 Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE032318.M
 Quant Title :
 QLast Update : Fri Mar 23 12:17:01 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	15.323	5193826	28.308 ug/ml
Target Compounds				
6)	N-TETRADECANE	8.819	424734	3.468 ug/ml
7)	N-HEXADECANE	10.387	3452250	24.879 ug/ml
8)	N-OCTADECANE	11.897	12635171	83.184 ug/ml
9)	N-EICOSANE	13.223	7154116	43.809 ug/ml
10)	N-TETRACOSANE	15.539	2153702	12.883 ug/ml
11)	N-OCTACOSANE	17.504	1282967	8.829 ug/ml
12)	N-DOTRIACONTANE	19.234	959045	7.054 ug/ml
14)	N-HEXATRIACONTANE	20.784	722058	5.461 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : P:\HPCHEM1\FID E\Data\FE041018\
Data File : FE026594.D
Signal(s) : FID1B.CH
Acq On : 10 Apr 2018 17:38
Operator : UA/AJ
Sample : J2302-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Apr 11 05:06:38 2018
Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE032318.M
Quant Title :
QLast Update : Fri Mar 23 12:17:01 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#6 N-TETRADECANE

R.T.: 8.819 min
Delta R.T.: -0.020 min
Response: 424734
Conc: 3.47 ug/ml




#7 N-HEXADECANE

R.T.: 10.387 min
Delta R.T.: -0.066 min
Response: 3452250
Conc: 24.88 ug/ml




#8 N-OCTADECANE

R.T.: 11.897 min
Delta R.T.: -0.005 min
Response: 12635171
Conc: 83.18 ug/ml




#9 N-EICOSANE

R.T.: 13.223 min
Delta R.T.: 0.005 min
Response: 7154116
Conc: 43.81 ug/ml




#10 N-TETRACOSANE

R.T.: 15.539 min
Delta R.T.: 0.002 min
Response: 2153702
Conc: 12.88 ug/ml




#11 N-OCTACOSANE

R.T.: 17.504 min
Delta R.T.: -0.014 min
Response: 1282967
Conc: 8.83 ug/ml




#12 N-DOTRIACONTANE

R.T.: 19.234 min
Delta R.T.: -0.012 min
Response: 959045
Conc: 7.05 ug/ml



#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.323 min
Delta R.T.: -0.005 min
Response: 5193826
Conc: 28.31 ug/ml



#14 N-HEXATRIACONTANE

R.T.: 20.784 min
Delta R.T.: -0.020 min
Response: 722058
Conc: 5.46 ug/ml