

Data Path : P:\HPCHEM1\FID_E\Data\FE043018\
 Data File : FE026772.D
 Signal(s) : FID1B.CH
 Acq On : 30 Apr 2018 17:59
 Operator : UA/AJ
 Sample : J2616-14
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 01 07:29:31 2018
 Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE042118.M
 Quant Title :
 QLast Update : Sat Apr 21 01:24:29 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	15.305	2614536	14.589 ug/ml
Target Compounds				
6)	N-TETRADECANE	8.885	628911	4.353 ug/ml
7)	N-HEXADECANE	10.419	282800	1.792 ug/ml
8)	N-OCTADECANE	11.871	132431	0.794 ug/ml
9)	N-EICOSANE	13.192	151686	0.887 ug/ml
10)	N-TETRACOSANE	15.511	223472	1.373 ug/ml
11)	N-OCTACOSANE	17.481	270307	1.704 ug/ml
12)	N-DOTRIACONTANE	19.215	197908	1.268 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : P:\HPCHEM1\FID_E\Data\FE043018\
Data File : FE026772.D
Signal(s) : FID1B.CH
Acq On : 30 Apr 2018 17:59
Operator : UA/AJ
Sample : J2616-14
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 01 07:29:31 2018
Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE042118.M
Quant Title :
QLast Update : Sat Apr 21 01:24:29 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#6 N-TETRADECANE

R.T.: 8.885 min
Delta R.T.: 0.067 min
Response: 628911
Conc: 4.35 ug/ml




#7 N-HEXADECANE

R.T.: 10.419 min
Delta R.T.: -0.013 min
Response: 282800
Conc: 1.79 ug/ml




#8 N-OCTADECANE

R.T.: 11.871 min
Delta R.T.: -0.008 min
Response: 132431
Conc: 0.79 ug/ml




#9 N-EICOSANE

R.T.: 13.192 min
Delta R.T.: -0.002 min
Response: 151686
Conc: 0.89 ug/ml




#10 N-TETRACOSANE

R.T.: 15.511 min
Delta R.T.: 0.002 min
Response: 223472
Conc: 1.37 ug/ml




#11 N-OCTACOSANE

R.T.: 17.481 min
Delta R.T.: -0.007 min
Response: 270307
Conc: 1.70 ug/ml



#12 N-DOTRIACONTANE

R.T.: 19.215 min
Delta R.T.: -0.002 min
Response: 197908
Conc: 1.27 ug/ml



#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.305 min
Delta R.T.: 0.003 min
Response: 2614536
Conc: 14.59 ug/ml