

Data Path : P:\HPCHEM1\FID_E\Data\FE043018\
Data File : FE026779.D
Signal(s) : FID1B.CH
Acq On : 30 Apr 2018 22:22
Operator : UA/AJ
Sample : J2616-20
Misc :
ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 01 07:30:44 2018
Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE042118.M
Quant Title :
QLast Update : Sat Apr 21 01:24:29 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	15.303	2212679	12.346 ug/ml
Target Compounds				
6)	N-TETRADECANE	8.883	559642	3.873 ug/ml
7)	N-HEXADECANE	10.418	165640	1.050 ug/ml
8)	N-OCTADECANE	11.871	133456	0.800 ug/ml
9)	N-EICOSANE	13.190	144069	0.842 ug/ml
10)	N-TETRACOSANE	15.509	117202	0.720 ug/ml
11)	N-OCTACOSANE	17.481	195008	1.230 ug/ml
12)	N-DOTRIACONTANE	19.214	138160	0.885 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : P:\HPCHEM1\FID_E\Data\FE043018\
Data File : FE026779.D
Signal(s) : FID1B.CH
Acq On : 30 Apr 2018 22:22
Operator : UA/AJ
Sample : J2616-20
Misc :
ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 01 07:30:44 2018
Quant Method : P:\HPCHEM1\FID_E\methods\C44-FE042118.M
Quant Title :
QLast Update : Sat Apr 21 01:24:29 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um






#6 N-TETRADECANE

R.T.: 8.883 min
Delta R.T.: 0.065 min
Response: 559642
Conc: 3.87 ug/ml




#7 N-HEXADECANE

R.T.: 10.418 min
Delta R.T.: -0.014 min
Response: 165640
Conc: 1.05 ug/ml




#8 N-OCTADECANE

R.T.: 11.871 min
Delta R.T.: -0.009 min
Response: 133456
Conc: 0.80 ug/ml




#9 N-EICOSANE

R.T.: 13.190 min
Delta R.T.: -0.004 min
Response: 144069
Conc: 0.84 ug/ml




#10 N-TETRACOSANE

R.T.: 15.509 min
Delta R.T.: 0.000 min
Response: 117202
Conc: 0.72 ug/ml




#11 N-OCTACOSANE

R.T.: 17.481 min
Delta R.T.: -0.008 min
Response: 195008
Conc: 1.23 ug/ml



#12 N-DOTRIACONTANE

R.T.: 19.214 min
Delta R.T.: -0.003 min
Response: 138160
Conc: 0.88 ug/ml



#13 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.303 min
Delta R.T.: 0.001 min
Response: 2212679
Conc: 12.35 ug/ml