

rteres

Area Percent Report

Instrument :
FID_G
ClientSampleId :
LOD-MDL-WATER-01-QT1-2020

Manual Integrations
APPROVED

Ankita
1/24/2020 3:11:50 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG012320\
Data File : FG006521.D
Signal(s) : FID1A.ch
Acq On : 23 Jan 2020 16:50
Sample : L1161-07
Misc : LOD-WATER-1PPM
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG012220.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.542	4.517	4.575	M	11760	103545	6.40%	3.516%
2	6.509	6.483	6.553	M	11353	109916	6.80%	3.733%
3	8.256	8.222	8.314	M	9858	123059	7.61%	4.179%
4	9.815	9.777	9.864	M	11040	126684	7.83%	4.302%
5	11.220	11.187	11.262	M	11425	130730	8.08%	4.440%
6	12.499	12.470	12.556	M	11404	135437	8.38%	4.599%
7	13.671	13.636	13.708	M	11414	130485	8.07%	4.431%
8	14.551	14.498	14.615	BB	127259	1616993	100.00%	54.913%
9	14.748	14.720	14.785	M	10520	130336	8.06%	4.426%
10	15.748	15.715	15.789	M	11068	149287	9.23%	5.070%
11	16.678	16.638	16.728	BB	14955	188177	11.64%	6.390%
Sum of corrected areas:						2944648		

FG012220.M Fri Jan 24 11:39:42 2020