

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG012624\
 Data File : FG013372.D
 Signal(s) : FID1A.ch
 Acq On : 26 Jan 2024 15:31
 Operator : YP\AJ
 Sample : P1241-01MSD 5X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 27 00:21:33 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG010824.M
 Quant Title :
 QLast Update : Mon Jan 08 14:52:14 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.071	402163	3.289 ug/mlm
Target Compounds			
1) N-OCTANE	2.060	258997	2.047 ug/ml
2) N-DECANE	4.583	499197	3.817 ug/mlm
3) N-DODECANE	6.755	824292	6.061 ug/mlm
4) N-TETRADECANE	8.587	986786	7.403 ug/mlm
5) N-HEXADECANE	10.201	1006834	7.388 ug/ml
6) N-OCTADECANE	11.648	947327	6.723 ug/mlm
7) N-EICOSANE	12.964	841786	6.109 ug/ml
8) N-DOCOSANE	14.166	786139	5.798 ug/mlm
10) N-TETRACOSANE	15.275	705226	5.241 ug/ml
11) N-HEXACOSANE	16.299	675072	5.125 ug/ml
12) N-OCTACOSANE	17.253	664084	5.156 ug/mlm
13) N-TRIACONTANE	18.146	713674	5.650 ug/mlm
14) N-DOTRIACONTANE	18.984	686808	5.722 ug/mlm
15) N-TETRATRIACONTANE	19.770	559514	5.921 ug/mlm
16) N-HEXATRIACONTANE	20.515	870621	12.428 ug/ml
17) N-OCTATRIACONTANE	21.272	624082	10.332 ug/mlm
18) N-TETRACONTANE	22.226	614347	11.291 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG012624\
Data File : FG013372.D
Signal(s) : FID1A.ch
Acq On : 26 Jan 2024 15:31
Operator : YP\AJ
Sample : P1241-01MSD 5X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 27 00:21:33 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG010824.M
Quant Title :
QLast Update : Mon Jan 08 14:52:14 2024
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.060 min
Delta R.T.: 0.000 min
Response: 258997
Conc: 2.05 ug/ml




#2 N-DECANE

R.T.: 4.583 min
Delta R.T.: 0.000 min
Response: 499197
Conc: 3.82 ug/ml m




#3 N-DODECANE

R.T.: 6.755 min
Delta R.T.: 0.003 min
Response: 824292
Conc: 6.06 ug/ml m




#4 N-TETRADECANE

R.T.: 8.587 min
Delta R.T.: 0.003 min
Response: 986786
Conc: 7.40 ug/ml m




#5 N-HEXADECANE

R.T.: 10.201 min
Delta R.T.: 0.006 min
Response: 1006834
Conc: 7.39 ug/ml




#6 N-OCTADECANE

R.T.: 11.648 min
Delta R.T.: 0.006 min
Response: 947327
Conc: 6.72 ug/ml m




#7 N-EICOSANE

R.T.: 12.964 min
Delta R.T.: 0.009 min
Response: 841786
Conc: 6.11 ug/ml




#8 N-DOCOSANE

R.T.: 14.166 min
Delta R.T.: 0.009 min
Response: 786139
Conc: 5.80 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.071 min
Delta R.T.: 0.012 min
Response: 402163
Conc: 3.29 ug/ml m




#10 N-TETRACOSANE

R.T.: 15.275 min
Delta R.T.: 0.011 min
Response: 705226
Conc: 5.24 ug/ml




#11 N-HEXACOSANE

R.T.: 16.299 min
Delta R.T.: 0.012 min
Response: 675072
Conc: 5.12 ug/ml




#12 N-OCTACOSANE

R.T.: 17.253 min
Delta R.T.: 0.013 min
Response: 664084
Conc: 5.16 ug/ml m




#13 N-TRIACONTANE

R.T.: 18.146 min
Delta R.T.: 0.017 min
Response: 713674
Conc: 5.65 ug/ml m




#14 N-DOTRIACONTANE

R.T.: 18.984 min
Delta R.T.: 0.021 min
Response: 686808
Conc: 5.72 ug/ml m




#15 N-TETRATRIACONTANE

R.T.: 19.770 min
Delta R.T.: 0.022 min
Response: 559514
Conc: 5.92 ug/ml m




#16 N-HEXATRIACONTANE

R.T.: 20.515 min
Delta R.T.: 0.024 min
Response: 870621
Conc: 12.43 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 21.272 min
Delta R.T.: 0.031 min
Response: 624082
Conc: 10.33 ug/ml m



#18 N-TETRACONTANE

R.T.: 22.226 min
Delta R.T.: 0.044 min
Response: 614347
Conc: 11.29 ug/ml m