

rters

Instrument :
FID_G
ClientSampleId :
LOD-MDL-WATER-01-QT1-2025
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG01292
Data File : FG015221.D
Signal(s) : FID1A.ch
Acq On : 29 Jan 2025 15:30
Sample : Q1168-07
Misc : 4 PPM WATER LOD
ALS Vial : 66 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/30/2025
Supervised By :Ankita Jodhani 01/30/2025

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_F\Method\Aromatic EPH 011425.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.573	4.552	4.627	VB	46439	453214	6.67%	1.677%
2	6.250	6.186	6.329	VB	52189	518650	7.64%	1.919%
3	7.350	7.311	7.427	BB	51633	520841	7.67%	1.927%
4	7.983	7.951	8.057	PV	701838	6791149	100.00%	25.127%
5	8.656	8.627	8.727	BB	51680	530929	7.82%	1.964%
6	8.860	8.831	8.931	BV	463995	4651011	68.49%	17.209%
7	8.957	8.931	9.011	VB	51645	518729	7.64%	1.919%
8	9.748	9.714	9.817	BB	50435	520705	7.67%	1.927%
9	11.158	11.121	11.201	BV	49444	518367	7.63%	1.918%
10	11.234	11.201	11.301	PBA	46625	512398	7.55%	1.896%
11	11.939	11.896	11.999	BB	581357	6612950	97.38%	24.468%
12	12.984	12.957	13.036	VB	46140	513454	7.56%	1.900%
13	13.283	13.246	13.322	BV	46515	523490	7.71%	1.937%
14	15.168	15.131	15.189	BV	38043	447801	6.59%	1.657%
15	15.209	15.189	15.232	VV	40158	428142	6.30%	1.584%
16	16.728	16.694	16.743	BV	40835	480217	7.07%	1.777%
17	16.759	16.743	16.791	VBA	40644	498391	7.34%	1.844%
18	17.109	17.074	17.172	BB	36563	467390	6.88%	1.729%
19	18.481	18.412	18.501	PV	39097	492141	7.25%	1.821%
20	18.523	18.501	18.612	VB	38506	570166	8.40%	2.110%
21	18.735	18.681	18.786	BV	36847	456649	6.72%	1.690%
Sum of corrected areas:						27026783		

Aromatic EPH 011425.M Thu Jan 30 03:50:01 2025