

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG020524\
 Data File : FG013455.D
 Signal(s) : FID1A.ch
 Acq On : 05 Feb 2024 17:44
 Operator : YP\AJ
 Sample : P1187-03
 Misc : DRO LOD 2.5 PPM
 ALS Vial : 60 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 06 03:07:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020124.M
 Quant Title :
 QLast Update : Thu Feb 01 14:07:32 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.071	2733362	24.414 ug/ml
Target Compounds			
2) N-DECANE	4.583	409013	3.438 ug/ml
3) N-DODECANE	6.754	427253	3.466 ug/ml
4) N-TETRADECANE	8.586	421148	3.485 ug/ml
5) N-HEXADECANE	10.199	430240	3.478 ug/ml
6) N-OCTADECANE	11.646	445613	3.473 ug/ml
7) N-EICOSANE	12.962	436048	3.467 ug/ml
8) N-DOCOSANE	14.166	429378	3.470 ug/ml
10) N-TETRACOSANE	15.273	427168	3.495 ug/ml
11) N-HEXACOSANE	16.298	415537	3.498 ug/ml
12) N-OCTACOSANE	17.251	409961	3.562 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG020524\
Data File : FG013455.D
Signal(s) : FID1A.ch
Acq On : 05 Feb 2024 17:44
Operator : YP\AJ
Sample : P1187-03
Misc : DRO LOD 2.5 PPM
ALS Vial : 60 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 06 03:07:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020124.M
Quant Title :
QLast Update : Thu Feb 01 14:07:32 2024
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.583 min
Delta R.T.: -0.001 min
Response: 409013
Conc: 3.44 ug/ml




#3 N-DODECANE

R.T.: 6.754 min
Delta R.T.: -0.003 min
Response: 427253
Conc: 3.47 ug/ml




#4 N-TETRADECANE

R.T.: 8.586 min
Delta R.T.: -0.004 min
Response: 421148
Conc: 3.49 ug/ml




#5 N-HEXADECANE

R.T.: 10.199 min
Delta R.T.: -0.005 min
Response: 430240
Conc: 3.48 ug/ml




#6 N-OCTADECANE

R.T.: 11.646 min
Delta R.T.: -0.006 min
Response: 445613
Conc: 3.47 ug/ml




#7 N-EICOSANE

R.T.: 12.962 min
Delta R.T.: -0.005 min
Response: 436048
Conc: 3.47 ug/ml




#8 N-DOCOSANE

R.T.: 14.166 min
Delta R.T.: -0.003 min
Response: 429378
Conc: 3.47 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.071 min
Delta R.T.: -0.003 min
Response: 2733362
Conc: 24.41 ug/ml




#10 N-TETRACOSANE

R.T.: 15.273 min
Delta R.T.: -0.005 min
Response: 427168
Conc: 3.50 ug/ml



#11 N-HEXACOSANE

R.T.: 16.298 min
Delta R.T.: -0.005 min
Response: 415537
Conc: 3.50 ug/ml



#12 N-OCTACOSANE

R.T.: 17.251 min
Delta R.T.: -0.004 min
Response: 409961
Conc: 3.56 ug/ml