

Data Path : X:\pestpcbsrv\HPCHEM1\FID_G\Data\FG020719\
 Data File : FG003695.D
 Signal(s) : FID1A.ch
 Acq On : 07 Feb 2019 14:15
 Operator : AJ\SJ
 Sample : K1338-01MSD 10X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 08 08:12:45 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
 Quant Title :
 QLast Update : Wed Feb 06 08:50:01 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.463	227946	1.685 ug/ml
Target Compounds			
2) N-DECANE	4.194	236813	1.501 ug/ml
3) N-DODECANE	6.217	297523	1.884 ug/ml
4) N-TETRADECANE	8.010	296589	1.879 ug/mlm
5) N-HEXADECANE	9.611	285295	1.811 ug/ml
6) N-OCTADECANE	11.053	260183	1.653 ug/ml
7) N-EICOSANE	12.365	260574	1.664 ug/mlm
8) N-DOCOSANE	13.563	267667	1.731 ug/mlm
10) N-TETRACOSANE	14.665	315310	2.093 ug/ml
11) N-HEXACOSANE	15.687	250741	1.705 ug/ml
12) N-OCTACOSANE	16.639	274090	1.902 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\pestpcbsrv\HPCHEM1\FID_G\Data\FG020719\
Data File : FG003695.D
Signal(s) : FID1A.ch
Acq On : 07 Feb 2019 14:15
Operator : AJ\SJ
Sample : K1338-01MSD 10X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 08 08:12:45 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
Quant Title :
QLast Update : Wed Feb 06 08:50:01 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.194 min
Delta R.T.: -0.002 min
Response: 236813
Conc: 1.50 ug/ml




#3 N-DODECANE

R.T.: 6.217 min
Delta R.T.: -0.004 min
Response: 297523
Conc: 1.88 ug/ml




#4 N-TETRADECANE

R.T.: 8.010 min
Delta R.T.: -0.006 min
Response: 296589
Conc: 1.88 ug/ml m




#5 N-HEXADECANE

R.T.: 9.611 min
Delta R.T.: -0.007 min
Response: 285295
Conc: 1.81 ug/ml




#6 N-OCTADECANE

R.T.: 11.053 min
Delta R.T.: -0.009 min
Response: 260183
Conc: 1.65 ug/ml




#7 N-EICOSANE

R.T.: 12.365 min
Delta R.T.: -0.008 min
Response: 260574
Conc: 1.66 ug/ml m




#8 N-DOCOSANE

R.T.: 13.563 min
Delta R.T.: -0.009 min
Response: 267667
Conc: 1.73 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.463 min
Delta R.T.: -0.010 min
Response: 227946
Conc: 1.69 ug/ml




#10 N-TETRACOSANE

R.T.: 14.665 min
Delta R.T.: -0.013 min
Response: 315310
Conc: 2.09 ug/ml



#11 N-HEXACOSANE

R.T.: 15.687 min
Delta R.T.: -0.013 min
Response: 250741
Conc: 1.70 ug/ml



#12 N-OCTACOSANE

R.T.: 16.639 min
Delta R.T.: -0.013 min
Response: 274090
Conc: 1.90 ug/ml m