

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022323\
 Data File : FG011451.D
 Signal(s) : FID1A.ch
 Acq On : 23 Feb 2023 11:31
 Operator : YP\AJ
 Sample : 01627-12
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 23 16:48:49 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG022123.M
 Quant Title :
 QLast Update : Tue Feb 21 16:44:49 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	15.064	2284397	21.719 ug/ml
Target Compounds				
1)	N-OCTANE	2.076	123706	1.041 ug/ml
2)	N-DECANE	4.590	144179	1.184 ug/ml
3)	N-DODECANE	6.758	142632	1.154 ug/ml
4)	N-TETRADECANE	8.589	122509	0.991 ug/ml
5)	N-HEXADECANE	10.200	150216	1.191 ug/ml
6)	N-OCTADECANE	11.647	150635	1.193 ug/ml
7)	N-EICOSANE	12.960	151919	1.214 ug/ml
8)	N-DOCOSANE	14.161	144076	1.201 ug/ml
10)	N-TETRACOSANE	15.267	142442	1.207 ug/ml
11)	N-HEXACOSANE	16.291	138818	1.220 ug/ml
12)	N-OCTACOSANE	17.243	154836	1.411 ug/ml
13)	N-TRIACONTANE	18.133	189091	1.784 ug/ml
14)	N-DOTRIACONTANE	18.968	208682	2.068 ug/ml
15)	N-TETRATRIACONTANE	19.754	175982	1.867 ug/ml
16)	N-HEXATRIACONTANE	20.495	131568	1.469 ug/ml
17)	N-OCTATRIACONTANE	21.247	126503	1.346 ug/ml
18)	N-TETRACONTANE	22.191	126196	1.244 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022323\
Data File : FG011451.D
Signal(s) : FID1A.ch
Acq On : 23 Feb 2023 11:31
Operator : YP\AJ
Sample : 01627-12
Misc :
ALS Vial : 58 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 23 16:48:49 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG022123.M
Quant Title :
QLast Update : Tue Feb 21 16:44:49 2023
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE

R.T.: 2.076 min
Delta R.T.: 0.003 min
Response: 123706
Conc: 1.04 ug/ml




#2 N-DECANE

R.T.: 4.590 min
Delta R.T.: -0.005 min
Response: 144179
Conc: 1.18 ug/ml




#3 N-DODECANE

R.T.: 6.758 min
Delta R.T.: -0.008 min
Response: 142632
Conc: 1.15 ug/ml




#4 N-TETRADECANE

R.T.: 8.589 min
Delta R.T.: -0.009 min
Response: 122509
Conc: 0.99 ug/ml




#5 N-HEXADECANE

R.T.: 10.200 min
Delta R.T.: -0.011 min
Response: 150216
Conc: 1.19 ug/ml




#6 N-OCTADECANE

R.T.: 11.647 min
Delta R.T.: -0.011 min
Response: 150635
Conc: 1.19 ug/ml




#7 N-EICOSANE

R.T.: 12.960 min
Delta R.T.: -0.012 min
Response: 151919
Conc: 1.21 ug/ml




#8 N-DOCOSANE

R.T.: 14.161 min
Delta R.T.: -0.013 min
Response: 144076
Conc: 1.20 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.064 min
Delta R.T.: -0.012 min
Response: 2284397
Conc: 21.72 ug/ml




#10 N-TETRACOSANE

R.T.: 15.267 min
Delta R.T.: -0.014 min
Response: 142442
Conc: 1.21 ug/ml




#11 N-HEXACOSANE

R.T.: 16.291 min
Delta R.T.: -0.013 min
Response: 138818
Conc: 1.22 ug/ml




#12 N-OCTACOSANE

R.T.: 17.243 min
Delta R.T.: -0.014 min
Response: 154836
Conc: 1.41 ug/ml




#13 N-TRIACONTANE

R.T.: 18.133 min
Delta R.T.: -0.014 min
Response: 189091
Conc: 1.78 ug/ml




#14 N-DOTRIACONTANE

R.T.: 18.968 min
Delta R.T.: -0.013 min
Response: 208682
Conc: 2.07 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.754 min
Delta R.T.: -0.014 min
Response: 175982
Conc: 1.87 ug/ml




#16 N-HEXATRIACONTANE

R.T.: 20.495 min
Delta R.T.: -0.015 min
Response: 131568
Conc: 1.47 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 21.247 min
Delta R.T.: -0.019 min
Response: 126503
Conc: 1.35 ug/ml



#18 N-TETRACONTANE

R.T.: 22.191 min
Delta R.T.: -0.022 min
Response: 126196
Conc: 1.24 ug/ml