

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022619\
 Data File : FG003965.D
 Signal(s) : FID1A.ch
 Acq On : 26 Feb 2019 18:28
 Operator : AJ\SJ
 Sample : K1610-05MSD
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 27 00:36:00 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
 Quant Title :
 QLast Update : Wed Feb 06 08:50:01 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.455	2129620	15.745 ug/ml
Target Compounds			
2) N-DECANE	4.182	2507176	15.896 ug/ml
3) N-DODECANE	6.205	2648660	16.776 ug/mlm
4) N-TETRADECANE	8.001	2701501	17.116 ug/ml
5) N-HEXADECANE	9.602	2687169	17.058 ug/ml
6) N-OCTADECANE	11.044	2632937	16.726 ug/ml
7) N-EICOSANE	12.354	2583619	16.496 ug/mlm
8) N-DOCOSANE	13.553	2511977	16.246 ug/mlm
10) N-TETRACOSANE	14.658	2522614	16.742 ug/ml
11) N-HEXACOSANE	15.681	2518323	17.120 ug/ml
12) N-OCTACOSANE	16.631	2651896	18.407 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022619\
Data File : FG003965.D
Signal(s) : FID1A.ch
Acq On : 26 Feb 2019 18:28
Operator : AJ\SJ
Sample : K1610-05MSD
Misc :
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 27 00:36:00 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
Quant Title :
QLast Update : Wed Feb 06 08:50:01 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.182 min
Delta R.T.: -0.014 min
Response: 2507176
Conc: 15.90 ug/ml




#3 N-DODECANE

R.T.: 6.205 min
Delta R.T.: -0.016 min
Response: 2648660
Conc: 16.78 ug/ml m




#4 N-TETRADECANE

R.T.: 8.001 min
Delta R.T.: -0.015 min
Response: 2701501
Conc: 17.12 ug/ml




#5 N-HEXADECANE

R.T.: 9.602 min
Delta R.T.: -0.016 min
Response: 2687169
Conc: 17.06 ug/ml




#6 N-OCTADECANE

R.T.: 11.044 min
Delta R.T.: -0.018 min
Response: 2632937
Conc: 16.73 ug/ml




#7 N-EICOSANE

R.T.: 12.354 min
Delta R.T.: -0.019 min
Response: 2583619
Conc: 16.50 ug/ml m




#8 N-DOCOSANE

R.T.: 13.553 min
Delta R.T.: -0.020 min
Response: 2511977
Conc: 16.25 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.455 min
Delta R.T.: -0.017 min
Response: 2129620
Conc: 15.75 ug/ml




#10 N-TETRACOSANE

R.T.: 14.658 min
Delta R.T.: -0.020 min
Response: 2522614
Conc: 16.74 ug/ml



#11 N-HEXACOSANE

R.T.: 15.681 min
Delta R.T.: -0.019 min
Response: 2518323
Conc: 17.12 ug/ml



#12 N-OCTACOSANE

R.T.: 16.631 min
Delta R.T.: -0.020 min
Response: 2651896
Conc: 18.41 ug/ml m