

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022719\
 Data File : FG003981.D
 Signal(s) : FID1A.ch
 Acq On : 27 Feb 2019 16:59
 Operator : AJ\SJ
 Sample : K1633-02MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 28 00:28:39 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
 Quant Title :
 QLast Update : Wed Feb 06 08:50:01 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.454	1802443	13.326 ug/mlm
Target Compounds			
2) N-DECANE	4.180	1591130	10.088 ug/ml
3) N-DODECANE	6.203	1616148	10.236 ug/mlm
4) N-TETRADECANE	7.998	1594042	10.100 ug/ml
5) N-HEXADECANE	9.599	1793507	11.385 ug/ml
6) N-OCTADECANE	11.042	1468591	9.329 ug/ml
7) N-EICOSANE	12.353	1773046	11.321 ug/ml
8) N-DOCOSANE	13.553	2050480	13.261 ug/mlm
10) N-TETRACOSANE	14.656	1608632	10.676 ug/ml
11) N-HEXACOSANE	15.680	1929211	13.115 ug/ml
12) N-OCTACOSANE	16.629	2831816	19.655 ug/mlm


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG022719\
Data File : FG003981.D
Signal(s) : FID1A.ch
Acq On : 27 Feb 2019 16:59
Operator : AJ\SJ
Sample : K1633-02MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 28 00:28:39 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG020519.M
Quant Title :
QLast Update : Wed Feb 06 08:50:01 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.180 min
Delta R.T.: -0.015 min
Response: 1591130
Conc: 10.09 ug/ml




#3 N-DODECANE

R.T.: 6.203 min
Delta R.T.: -0.018 min
Response: 1616148
Conc: 10.24 ug/ml m




#4 N-TETRADECANE

R.T.: 7.998 min
Delta R.T.: -0.018 min
Response: 1594042
Conc: 10.10 ug/ml




#5 N-HEXADECANE

R.T.: 9.599 min
Delta R.T.: -0.019 min
Response: 1793507
Conc: 11.38 ug/ml




#6 N-OCTADECANE

R.T.: 11.042 min
Delta R.T.: -0.020 min
Response: 1468591
Conc: 9.33 ug/ml




#7 N-EICOSANE

R.T.: 12.353 min
Delta R.T.: -0.020 min
Response: 1773046
Conc: 11.32 ug/ml




#8 N-DOCOSANE

R.T.: 13.553 min
Delta R.T.: -0.020 min
Response: 2050480
Conc: 13.26 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.454 min
Delta R.T.: -0.018 min
Response: 1802443
Conc: 13.33 ug/ml m




#10 N-TETRACOSANE

R.T.: 14.656 min
Delta R.T.: -0.022 min
Response: 1608632
Conc: 10.68 ug/ml



#11 N-HEXACOSANE

R.T.: 15.680 min
Delta R.T.: -0.020 min
Response: 1929211
Conc: 13.12 ug/ml



#12 N-OCTACOSANE

R.T.: 16.629 min
Delta R.T.: -0.023 min
Response: 2831816
Conc: 19.66 ug/ml m