

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG030625\
Data File : FG015447.D
Signal(s) : FID1A.ch
Acq On : 06 Mar 2025 09:45
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG030325.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.531	4.485	4.629	BB	488019	5115918	83.91%	8.373%
2	6.715	6.680	6.820	BB	547983	5547769	90.99%	9.080%
3	8.552	8.480	8.620	BB	525969	5627155	92.29%	9.210%
4	10.167	10.115	10.241	BB	545713	5879457	96.43%	9.622%
5	11.617	11.513	11.666	BB	538694	6097235	100.00%	9.979%
6	12.931	12.889	12.992	BB	492351	5890045	96.60%	9.640%
7	14.135	14.096	14.200	PB	464408	5691087	93.34%	9.314%
8	15.037	14.988	15.110	BV	364665	5086771	83.43%	8.325%
9	15.242	15.165	15.306	BB	427834	5547948	90.99%	9.080%
10	16.266	16.201	16.335	BB	401876	5369254	88.06%	8.787%
11	17.219	17.170	17.283	BB	391983	5248914	86.09%	8.590%
Sum of corrected areas:						61101552		

FG030325.M Fri Mar 07 01:37:38 2025