

nteres

Instrument :

FID\_G

LabSampleId :

50 PPM TRPH STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/31/2022

Supervised By :mohammad ahmed 04/01/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_G\Data\FG03302  
Data File : FG009471.D  
Signal(s) : FID1A.ch  
Acq On : 30 Mar 2022 10:26  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_G\Method\FG032522.M  
Title :

Signal : FID1A.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 2.233       | 2.208        | 2.282      | BB       | 1100607        | 8112891      | 92.16%         | 6.016%        |
| 2                       | 4.332       | 4.296        | 4.409      | BB       | 910845         | 8697097      | 98.80%         | 6.450%        |
| 3                       | 6.360       | 6.318        | 6.437      | BB       | 842016         | 8761537      | 99.53%         | 6.497%        |
| 4                       | 8.160       | 8.123        | 8.223      | BB       | 802952         | 8802865      | 100.00%        | 6.528%        |
| 5                       | 9.767       | 9.719        | 9.827      | BB       | 747931         | 8714422      | 99.00%         | 6.462%        |
| 6                       | 11.213      | 11.176       | 11.250     | VB       | 723325         | 8742464      | 99.31%         | 6.483%        |
| 7                       | 12.527      | 12.484       | 12.582     | BB       | 657626         | 8324894      | 94.57%         | 6.174%        |
| 8                       | 13.731      | 13.694       | 13.782     | VB       | 633640         | 8061826      | 91.58%         | 5.978%        |
| 9                       | 14.633      | 14.587       | 14.661     | BV       | 485136         | 7038638      | 79.96%         | 5.220%        |
| 10                      | 14.838      | 14.761       | 14.893     | BB       | 577210         | 7885339      | 89.58%         | 5.848%        |
| 11                      | 15.863      | 15.808       | 15.918     | BB       | 552255         | 7615153      | 86.51%         | 5.647%        |
| 12                      | 16.817      | 16.741       | 16.879     | BB       | 538424         | 7422956      | 84.32%         | 5.505%        |
| 13                      | 17.707      | 17.639       | 17.749     | BB       | 490399         | 7229146      | 82.12%         | 5.361%        |
| 14                      | 18.543      | 18.474       | 18.601     | BB       | 483176         | 6960696      | 79.07%         | 5.162%        |
| 15                      | 19.328      | 19.265       | 19.387     | BV       | 417928         | 6403564      | 72.74%         | 4.749%        |
| 16                      | 20.068      | 20.019       | 20.105     | M        | 368799         | 5669958      | 64.41%         | 4.205%        |
| 17                      | 20.810      | 20.737       | 20.862     | BB       | 271690         | 5198047      | 59.05%         | 3.855%        |
| 18                      | 21.725      | 21.632       | 21.840     | BB       | 217897         | 5205655      | 59.14%         | 3.860%        |
| Sum of corrected areas: |             |              |            |          |                | 134847147    |                |               |

FG032522.M Thu Mar 31 12:54:33 2022