

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_G\Data\FG040425\  
Data File : FG015646.D  
Signal(s) : FID1A.ch  
Acq On : 04 Apr 2025 14:43  
Operator : YP\AJ  
Sample : Q1721-02 5X  
Misc :  
ALS Vial : 26 Sample Multiplier: 1

Instrument :  
FID\_G  
ClientSampleId :  
AU-05-040325

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 04/07/2025  
Supervised By :mohammad ahmed 04/09/2025

Integration File: autoint1.e  
Quant Time: Apr 04 23:00:11 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID\_G\Method\FG032725.M  
Quant Title :  
QLast Update : Thu Mar 27 11:04:29 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1uL  
Signal Phase : Rxi-1ms  
Signal Info : 20mx0.18mmx0.18um

| Compound                      | R.T.   | Response | Conc Units   |
|-------------------------------|--------|----------|--------------|
| -----                         |        |          |              |
| System Monitoring Compounds   |        |          |              |
| 9) S TETRACOSANE-d50 (SURR... | 15.017 | 391294   | 3.416 ug/mlm |

Target Compounds

-----

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_G\Data\FG040425\  
Data File : FG015646.D  
Signal(s) : FID1A.ch  
Acq On : 04 Apr 2025 14:43  
Operator : YP\AJ  
Sample : Q1721-02 5X  
Misc :  
ALS Vial : 26 Sample Multiplier: 1


Instrument :  
FID\_G  
ClientSampleId :  
AU-05-040325


Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 04/07/2025  
Supervised By :mohammad ahmed 04/09/2025

Integration File: autoint1.e  
Quant Time: Apr 04 23:00:11 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID\_G\Method\FG032725.M  
Quant Title :  
QLast Update : Thu Mar 27 11:04:29 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1uL  
Signal Phase : Rxi-1ms  
Signal Info : 20mx0.18mmx0.18um





#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 15.017 min  
Delta R.T.: -0.005 min  
Response: 391294  
Conc: 3.42 ug/ml

Instrument :

FID\_G

ClientSampleId :

AU-05-040325

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 04/07/2025

Supervised By :mohammad ahmed 04/09/2025