

Instrument :
FID_G
ClientSampleId :
LOD-MDL-WATER-04-QT2-2023
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/10/2023
Supervised By :Ankita Jodhani 04/10/2023

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG04082
Data File : FG011750.D
Signal(s) : FID1A.ch
Acq On : 07 Apr 2023 22:27
Sample : 02213-10
Misc : 1 PPM WATER LOD
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG031523.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.051	2.013	2.094	BB	10282	141190	5.89%	2.660%
2	4.569	4.533	4.606	BB	15898	165474	6.90%	3.117%
3	6.741	6.709	6.775	BB	15585	159217	6.64%	2.999%
4	8.572	8.543	8.609	BB	10555	120740	5.04%	2.274%
5	10.185	10.153	10.237	BB	12400	157480	6.57%	2.967%
6	11.631	11.593	11.663	BB	13766	160727	6.71%	3.028%
7	12.944	12.908	12.981	BB	13425	161549	6.74%	3.043%
8	14.145	14.115	14.181	VB	12806	159064	6.64%	2.996%
9	15.048	15.000	15.078	BV	172176	2397112	100.00%	45.156%
10	15.251	15.182	15.296	BB	13293	187263	7.81%	3.528%
11	16.275	16.231	16.312	BB	12525	167962	7.01%	3.164%
12	17.228	17.183	17.263	BB	13392	186162	7.77%	3.507%
13	18.118	18.072	18.157	BB	15156	211317	8.82%	3.981%
14	18.953	18.907	18.993	BB	15681	222238	9.27%	4.186%
15	19.739	19.693	19.773	BB	13532	196161	8.18%	3.695%
16	20.482	20.450	20.517	BB	11462	171553	7.16%	3.232%
17	21.232	21.175	21.281	BB	8683	164005	6.84%	3.089%
18	22.168	22.095	22.245	BB	7158	179278	7.48%	3.377%
Sum of corrected areas:						5308492		

FG031523.M Mon Apr 10 04:35:02 2023