

rteres.txt

Instrument :
FID_G
ClientSampleId :
LOQ-WATER-05-QT2-2023

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/12/2023
Supervised By :Ankita Jodhani 04/12/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG04112
Data File : FG011771.D
Signal(s) : FID1A.ch
Acq On : 11 Apr 2023 10:57
Sample : 02213-11
Misc : 5 PPM WATER LOQ
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG031523.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.046	2.011	2.109	BB	33881	525445	29.84%	4.457%
2	4.565	4.537	4.607	BB	62675	649313	36.87%	5.507%
3	6.737	6.710	6.778	BB	63409	651639	37.00%	5.527%
4	8.568	8.536	8.635	BB	53789	609488	34.61%	5.169%
5	10.179	10.147	10.242	BB	55281	645519	36.65%	5.475%
6	11.626	11.593	11.673	BB	53676	633997	36.00%	5.377%
7	12.940	12.893	12.978	BB	52283	613860	34.86%	5.207%
8	14.140	14.107	14.188	BB	46624	585996	33.27%	4.970%
9	15.043	14.996	15.075	BV	130931	1761161	100.00%	14.938%
10	15.247	15.200	15.293	BB	45504	589643	33.48%	5.001%
11	16.271	16.223	16.320	BB	44413	568547	32.28%	4.822%
12	17.223	17.173	17.265	BB	42909	580619	32.97%	4.925%
13	18.113	18.064	18.163	BB	46473	647940	36.79%	5.496%
14	18.948	18.902	18.990	BB	45667	677574	38.47%	5.747%
15	19.734	19.685	19.770	BB	43868	619966	35.20%	5.258%
16	20.476	20.450	20.524	BB	37001	505710	28.71%	4.289%
17	21.224	21.162	21.290	BB	27834	480273	27.27%	4.074%
18	22.160	22.084	22.254	BB	17318	443491	25.18%	3.762%
Sum of corrected areas:						11790180		

FG031523.M Wed Apr 12 04:03:58 2023