

rteres

Instrument :

FID_G

ClientSampleId :

PB167630BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/18/2025

Supervised By :mohammad ahmed 04/21/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG041725
Data File : FG015691.D
Signal(s) : FID1A.ch
Acq On : 17 Apr 2025 16:26
Sample : PB167630BSD
Misc :
ALS Vial : 33 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aliphatic EPH 041725.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.257	3.214	3.341	BB	428389	4284047	74.93%	2.434%
2	4.513	4.482	4.529	BV	452399	4472657	78.23%	2.541%
3	4.546	4.529	4.605	VV	475374	4949257	86.56%	2.812%
4	6.222	6.192	6.361	BB	471719	5089160	89.01%	2.891%
5	6.690	6.655	6.777	BB	459451	4684401	81.93%	2.661%
6	7.323	7.283	7.456	BB	407830	4648764	81.31%	2.641%
7	8.526	8.485	8.589	BB	458438	4847006	84.77%	2.754%
8	8.629	8.600	8.747	BB	486245	5156021	90.18%	2.929%
9	8.931	8.901	9.054	VB	487637	5276775	92.29%	2.998%
10	9.723	9.678	9.860	BB	429203	5155332	90.17%	2.929%
11	10.140	10.104	10.217	BB	446061	4898130	85.67%	2.783%
12	11.135	11.074	11.184	BV	431303	4903340	85.76%	2.786%
13	11.211	11.184	11.361	VB	390565	4941931	86.43%	2.808%
14	11.588	11.554	11.657	BB	426705	4940443	86.41%	2.807%
15	11.905	11.866	11.988	BB	499215	5717533	100.00%	3.248%
16	12.903	12.865	12.932	BV	427687	5106712	89.32%	2.901%
17	12.963	12.932	13.078	VB	400767	4870769	85.19%	2.767%
18	13.263	13.227	13.314	BV	387599	4731420	82.75%	2.688%
19	13.348	13.314	13.423	VB	356370	4464441	78.08%	2.536%
20	13.517	13.471	13.582	BB	410686	4880428	85.36%	2.773%
21	14.105	14.066	14.170	BB	397275	4838974	84.63%	2.749%
22	15.152	15.112	15.172	BV	340419	4326563	75.67%	2.458%
23	15.198	15.172	15.205	VV	441281	5067621	88.63%	2.879%
24	15.209	15.205	15.328	VB	432147	4402325	77.00%	2.501%
25	16.238	16.190	16.290	BB	359269	4657344	81.46%	2.646%
26	16.719	16.672	16.733	BV	324510	4432858	77.53%	2.518%
27	16.752	16.733	16.864	VB	378705	4869465	85.17%	2.766%
28	17.102	17.048	17.155	BV	290158	4286675	74.97%	2.435%
29	17.188	17.155	17.275	VB	337735	4688946	82.01%	2.664%
30	18.078	18.015	18.136	BB	316608	4495178	78.62%	2.554%
31	18.481	18.422	18.495	BV	269453	3767815	65.90%	2.141%
32	18.515	18.495	18.693	VV	262369	4669907	81.68%	2.653%
33	18.736	18.693	18.868	VV	245694	4435028	77.57%	2.520%
34	18.911	18.868	18.987	VB	310533	4434579	77.56%	2.519%
35	19.697	19.640	19.758	BB	278003	4204127	73.53%	2.388%
36	20.437	20.390	20.505	BB	258440	3892481	68.08%	2.211%

rters
37 21.178 21.120 21.263 BB 189467 3523345 61.62% 2.002%
38 22.097 22.014 22.207 BB 116774 3003680 52
Sum of corrected areas: 1760

Aliphatic EPH 041725.M Fri Apr 18 01:55:31 2025

Instrument :
FID_G
ClientSampleId :
PB167630BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/18/2025
Supervised By :mohammad ahmed 04/21/2025