

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG050924\
 Data File : FG013765.D
 Signal(s) : FID1A.ch
 Acq On : 09 May 2024 14:20
 Operator : YP\AJ
 Sample : 5 TRPH STD
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 5 TRPH STD

Integration File: autoint1.e
 Quant Time: May 09 14:34:25 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050924.M
 Quant Title :
 QLast Update : Thu May 09 14:34:16 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.065	629485	5.403 ug/ml
Target Compounds			
1) N-OCTANE	2.057	665645	5.381 ug/ml
2) N-DECANE	4.580	682188	5.385 ug/ml
3) N-DODECANE	6.752	691763	5.369 ug/ml
4) N-TETRADECANE	8.586	709509	5.394 ug/ml
5) N-HEXADECANE	10.198	722304	5.418 ug/ml
6) N-OCTADECANE	11.647	739779	5.431 ug/ml
7) N-EICOSANE	12.961	752360	5.462 ug/ml
8) N-DOCOSANE	14.163	723087	5.452 ug/ml
10) N-TETRACOSANE	15.270	721634	5.468 ug/ml
11) N-HEXACOSANE	16.295	705915	5.436 ug/ml
12) N-OCTACOSANE	17.248	687065	5.414 ug/ml
13) N-TRIACONTANE	18.137	690957	5.443 ug/ml
14) N-DOTRIACONTANE	18.972	726945	5.713 ug/ml
15) N-TETRATRIACONTANE	19.759	643210	5.506 ug/ml
16) N-HEXATRIACONTANE	20.500	599053	5.437 ug/ml
17) N-OCTATRIACONTANE	21.255	533352	5.347 ug/ml
18) N-TETRACONTANE	22.198	565273	5.725 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG050924\
Data File : FG013765.D
Signal(s) : FID1A.ch
Acq On : 09 May 2024 14:20
Operator : YP\AJ
Sample : 5 TRPH STD
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
5 TRPH STD

Integration File: autoint1.e
Quant Time: May 09 14:34:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050924.M
Quant Title :
QLast Update : Thu May 09 14:34:16 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

