

rteres.txt

Area Percent Report

Instrument :
FID_G
ClientSampleId :
LOQ-WATER-05-QT2-2021

Manual Integrations
APPROVED

Ankita
5/11/2021 1:48:14 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG051021\
Data File : FG008040.D
Signal(s) : FID1A.ch
Acq On : 10 May 2021 18:44
Sample : M2262-11
Misc : LOQ-WATER- 5 PPM
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG042121.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.369	2.346	2.401	BB	171502	1243858	99.73%	6.611%
2	4.480	4.453	4.516	BB	140321	1247272	100.00%	6.629%
3	6.508	6.479	6.543	BB	128191	1226182	98.31%	6.517%
4	8.310	8.280	8.343	BB	119817	1218934	97.73%	6.478%
5	9.916	9.881	9.956	BB	108022	1178295	94.47%	6.262%
6	11.363	11.329	11.403	BB	100984	1162827	93.23%	6.180%
7	12.677	12.641	12.712	BB	97945	1113886	89.31%	5.920%
8	13.880	13.845	13.925	BB	90223	1071033	85.87%	5.692%
9	14.783	14.740	14.828	BB	67959	905455	72.59%	4.812%
10	14.987	14.951	15.023	BB	81814	1033975	82.90%	5.495%
11	16.011	15.974	16.047	BB	77713	981991	78.73%	5.219%
12	16.963	16.928	17.007	BB	72745	963160	77.22%	5.119%
13	17.854	17.804	17.898	BB	70782	971329	77.88%	5.162%
14	18.688	18.637	18.733	BB	66783	968405	77.64%	5.147%
15	19.475	19.424	19.521	BB	68538	942410	75.56%	5.008%
16	20.213	20.173	20.246	M	62146	893470	71.63%	4.748%
17	20.979	20.926	21.033	BB	46994	854036	68.47%	4.539%
18	21.936	21.885	21.988	M	34700	839743	67.33%	4.463%
Sum of corrected areas:						18816263		

FG042121.M Tue May 11 11:03:47 2021