

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG051324\
 Data File : FG013839.D
 Signal(s) : FID1A.ch
 Acq On : 13 May 2024 21:16
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: May 14 04:06:29 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050924.M
 Quant Title :
 QLast Update : Thu May 09 14:35:12 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.067	43633	0.375 ug/ml
Target Compounds			
1) N-OCTANE	2.024	6227023	50.335 ug/ml
2) N-DECANE	4.544	6711056	52.971 ug/ml
4) N-TETRADECANE	8.550	7075433	53.794 ug/ml
5) N-HEXADECANE	10.162	7188810	53.928 ug/ml
6) N-OCTADECANE	11.610	7311229	53.678 ug/ml
7) N-EICOSANE	12.924	7185706	52.165 ug/ml
8) N-DOCOSANE	14.127	7043979	53.113 ug/ml
10) N-TETRACOSANE	15.235	7033513	53.290 ug/ml
11) N-HEXACOSANE	16.259	6912987	53.239 ug/ml
12) N-OCTACOSANE	17.212	6778291	53.415 ug/ml
13) N-TRIACONTANE	18.102	6515021	51.320 ug/ml
14) N-DOTRIACONTANE	18.937	3727772	29.295 ug/ml
15) N-TETRATRIACONTANE	19.723	1865315	15.968 ug/ml
17) N-OCTATRIACONTANE	21.212	3789971	37.997 ug/ml
18) N-TETRACONTANE	22.141	4254694	43.087 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG051324\
Data File : FG013839.D
Signal(s) : FID1A.ch
Acq On : 13 May 2024 21:16
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: May 14 04:06:29 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050924.M
Quant Title :
QLast Update : Thu May 09 14:35:12 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 2.024 min
Delta R.T.: -0.033 min
Response: 6227023
Conc: 50.34 ug/ml

Instrument :
FID_G
ClientSampleId :




#2 N-DECANE

R.T.: 4.544 min
Delta R.T.: -0.036 min
Response: 6711056
Conc: 52.97 ug/ml




#4 N-TETRADECANE

R.T.: 8.550 min
Delta R.T.: -0.036 min
Response: 7075433
Conc: 53.79 ug/ml



#5 N-HEXADECANE


R.T.: 10.162 min
Delta R.T.: -0.036 min
Response: 7188810
Conc: 53.93 ug/ml



#6 N-OCTADECANE


R.T.: 11.610 min
Delta R.T.: -0.036 min
Response: 7311229
Conc: 53.68 ug/ml

Instrument :
FID_G
ClientSampleId :




#7 N-EICOSANE

R.T.: 12.924 min
Delta R.T.: -0.037 min
Response: 7185706
Conc: 52.17 ug/ml




#8 N-DOCOSANE

R.T.: 14.127 min
Delta R.T.: -0.036 min
Response: 7043979
Conc: 53.11 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 15.067 min
Delta R.T.: 0.003 min
Response: 43633
Conc: 0.37 ug/ml



#10 N-TETRACOSANE


R.T.: 15.235 min
Delta R.T.: -0.035 min
Response: 7033513
Conc: 53.29 ug/ml

Instrument :
FID_G
ClientSampleId :




#11 N-HEXACOSANE

R.T.: 16.259 min
Delta R.T.: -0.036 min
Response: 6912987
Conc: 53.24 ug/ml




#12 N-OCTACOSANE

R.T.: 17.212 min
Delta R.T.: -0.036 min
Response: 6778291
Conc: 53.42 ug/ml



#13 N-TRIACONTANE


R.T.: 18.102 min
Delta R.T.: -0.035 min
Response: 6515021
Conc: 51.32 ug/ml



#14 N-DOTRIACONTANE


R.T.: 18.937 min
Delta R.T.: -0.036 min
Response: 3727772
Conc: 29.29 ug/ml

Instrument :
FID_G
ClientSampleId :




#15 N-TETRATRIACONTANE

R.T.: 19.723 min
Delta R.T.: -0.036 min
Response: 1865315
Conc: 15.97 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 21.212 min
Delta R.T.: -0.043 min
Response: 3789971
Conc: 38.00 ug/ml



#18 N-TETRACONTANE

R.T.: 22.141 min
Delta R.T.: -0.058 min
Response: 4254694
Conc: 43.09 ug/ml