

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG051519\
 Data File : FG004946.D
 Signal(s) : FID1A.ch
 Acq On : 15 May 2019 15:55
 Operator : AJ\SJ
 Sample : PB119760BSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 16 01:25:14 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050919.M
 Quant Title :
 QLast Update : Thu May 09 14:52:33 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.785	2379240	19.826 ug/ml
Target Compounds			
2) N-DECANE	4.483	2979362	21.079 ug/ml
3) N-DODECANE	6.513	3006558	20.957 ug/ml
4) N-TETRADECANE	8.316	2982390	20.782 ug/ml
5) N-HEXADECANE	9.923	2966019	20.534 ug/ml
6) N-OCTADECANE	11.368	2906577	20.386 ug/ml
7) N-EICOSANE	12.682	2871523	20.261 ug/ml
8) N-DOCOSANE	13.884	2789116	20.125 ug/ml
10) N-TETRACOSANE	14.989	2706147	19.975 ug/ml
11) N-HEXACOSANE	16.012	2609067	19.869 ug/ml
12) N-OCTACOSANE	16.964	2505122	19.707 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG051519\
Data File : FG004946.D
Signal(s) : FID1A.ch
Acq On : 15 May 2019 15:55
Operator : AJ\SJ
Sample : PB119760BSD
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 16 01:25:14 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG050919.M
Quant Title :
QLast Update : Thu May 09 14:52:33 2019
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.483 min
Delta R.T.: -0.002 min
Response: 2979362
Conc: 21.08 ug/ml




#3 N-DODECANE

R.T.: 6.513 min
Delta R.T.: -0.003 min
Response: 3006558
Conc: 20.96 ug/ml




#4 N-TETRADECANE

R.T.: 8.316 min
Delta R.T.: -0.003 min
Response: 2982390
Conc: 20.78 ug/ml




#5 N-HEXADECANE

R.T.: 9.923 min
Delta R.T.: -0.003 min
Response: 2966019
Conc: 20.53 ug/ml




#6 N-OCTADECANE

R.T.: 11.368 min
Delta R.T.: -0.003 min
Response: 2906577
Conc: 20.39 ug/ml




#7 N-EICOSANE

R.T.: 12.682 min
Delta R.T.: -0.002 min
Response: 2871523
Conc: 20.26 ug/ml




#8 N-DOCOSANE

R.T.: 13.884 min
Delta R.T.: -0.002 min
Response: 2789116
Conc: 20.13 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.785 min
Delta R.T.: 0.000 min
Response: 2379240
Conc: 19.83 ug/ml




#10 N-TETRACOSANE

R.T.: 14.989 min
Delta R.T.: -0.003 min
Response: 2706147
Conc: 19.98 ug/ml



#11 N-HEXACOSANE

R.T.: 16.012 min
Delta R.T.: -0.002 min
Response: 2609067
Conc: 19.87 ug/ml



#12 N-OCTACOSANE

R.T.: 16.964 min
Delta R.T.: 0.000 min
Response: 2505122
Conc: 19.71 ug/ml