

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG052220\
 Data File : FG006898.D
 Signal(s) : FID1A.ch
 Acq On : 22 May 2020 09:04
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 23 05:07:56 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG051520.M
 Quant Title :
 QLast Update : Sat May 16 01:41:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.786	6229792	49.789 ug/ml
Target Compounds			
2) N-DECANE	4.492	7005567	50.300 ug/ml
3) N-DODECANE	6.520	7139019	50.238 ug/ml
4) N-TETRADECANE	8.319	7207538	50.212 ug/ml
5) N-HEXADECANE	9.925	7091234	50.108 ug/ml
6) N-OCTADECANE	11.370	7326787	50.023 ug/ml
7) N-EICOSANE	12.684	7170794	50.006 ug/ml
8) N-DOCOSANE	13.884	7205803	49.918 ug/ml
10) N-TETRACOSANE	14.991	7127617	49.793 ug/ml
11) N-HEXACOSANE	16.016	7060955	49.573 ug/ml
12) N-OCTACOSANE	16.967	7016070	49.163 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG052220\
Data File : FG006898.D
Signal(s) : FID1A.ch
Acq On : 22 May 2020 09:04
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 23 05:07:56 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG051520.M
Quant Title :
QLast Update : Sat May 16 01:41:50 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.492 min
Delta R.T.: -0.001 min
Response: 7005567
Conc: 50.30 ug/ml




#3 N-DODECANE

R.T.: 6.520 min
Delta R.T.: -0.003 min
Response: 7139019
Conc: 50.24 ug/ml




#4 N-TETRADECANE

R.T.: 8.319 min
Delta R.T.: -0.004 min
Response: 7207538
Conc: 50.21 ug/ml




#5 N-HEXADECANE

R.T.: 9.925 min
Delta R.T.: -0.005 min
Response: 7091234
Conc: 50.11 ug/ml




#6 N-OCTADECANE

R.T.: 11.370 min
Delta R.T.: -0.005 min
Response: 7326787
Conc: 50.02 ug/ml




#7 N-EICOSANE

R.T.: 12.684 min
Delta R.T.: -0.006 min
Response: 7170794
Conc: 50.01 ug/ml




#8 N-DOCOSANE

R.T.: 13.884 min
Delta R.T.: -0.009 min
Response: 7205803
Conc: 49.92 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.786 min
Delta R.T.: -0.009 min
Response: 6229792
Conc: 49.79 ug/ml




#10 N-TETRACOSANE

R.T.: 14.991 min
Delta R.T.: -0.008 min
Response: 7127617
Conc: 49.79 ug/ml



#11 N-HEXACOSANE

R.T.: 16.016 min
Delta R.T.: -0.009 min
Response: 7060955
Conc: 49.57 ug/ml



#12 N-OCTACOSANE

R.T.: 16.967 min
Delta R.T.: -0.011 min
Response: 7016070
Conc: 49.16 ug/ml