

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG052220\
 Data File : FG006905.D
 Signal(s) : FID1A.ch
 Acq On : 22 May 2020 12:44
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 23 05:09:26 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG051520.M
 Quant Title :
 QLast Update : Sat May 16 01:41:50 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.788	6493069	51.893 ug/ml
Target Compounds			
2) N-DECANE	4.492	7375219	52.954 ug/ml
3) N-DODECANE	6.520	7508095	52.835 ug/ml
4) N-TETRADECANE	8.320	7574425	52.768 ug/ml
5) N-HEXADECANE	9.926	7442202	52.588 ug/ml
6) N-OCTADECANE	11.372	7685578	52.473 ug/ml
7) N-EICOSANE	12.685	7508309	52.360 ug/ml
8) N-DOCOSANE	13.886	7522201	52.110 ug/ml
10) N-TETRACOSANE	14.992	7408900	51.758 ug/ml
11) N-HEXACOSANE	16.017	7299315	51.246 ug/ml
12) N-OCTACOSANE	16.968	7206313	50.496 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG052220\
Data File : FG006905.D
Signal(s) : FID1A.ch
Acq On : 22 May 2020 12:44
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 23 05:09:26 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG051520.M
Quant Title :
QLast Update : Sat May 16 01:41:50 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.492 min
Delta R.T.: -0.001 min
Response: 7375219
Conc: 52.95 ug/ml




#3 N-DODECANE

R.T.: 6.520 min
Delta R.T.: -0.002 min
Response: 7508095
Conc: 52.84 ug/ml




#4 N-TETRADECANE

R.T.: 8.320 min
Delta R.T.: -0.003 min
Response: 7574425
Conc: 52.77 ug/ml




#5 N-HEXADECANE

R.T.: 9.926 min
Delta R.T.: -0.004 min
Response: 7442202
Conc: 52.59 ug/ml




#6 N-OCTADECANE

R.T.: 11.372 min
Delta R.T.: -0.004 min
Response: 7685578
Conc: 52.47 ug/ml




#7 N-EICOSANE

R.T.: 12.685 min
Delta R.T.: -0.005 min
Response: 7508309
Conc: 52.36 ug/ml




#8 N-DOCOSANE

R.T.: 13.886 min
Delta R.T.: -0.007 min
Response: 7522201
Conc: 52.11 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.788 min
Delta R.T.: -0.008 min
Response: 6493069
Conc: 51.89 ug/ml




#10 N-TETRACOSANE

R.T.: 14.992 min
Delta R.T.: -0.007 min
Response: 7408900
Conc: 51.76 ug/ml



#11 N-HEXACOSANE

R.T.: 16.017 min
Delta R.T.: -0.008 min
Response: 7299315
Conc: 51.25 ug/ml



#12 N-OCTACOSANE

R.T.: 16.968 min
Delta R.T.: -0.009 min
Response: 7206313
Conc: 50.50 ug/ml