

rteres

Instrument :
FID_G
ClientSampleId :
LOD-MDL-WATER-01-QT2-2025
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/17/2025
Supervised By :mohammad ahmed 06/18/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG06162
Data File : FG016100.D
Signal(s) : FID1A.ch
Acq On : 16 Jun 2025 15:01
Sample : Q2126-07
Misc : 4 PPM WATER LOD
ALS Vial : 33 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aliphatic EPH 061325.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.420	3.393	3.452	BB	30908	303135	5.91%	2.196%
2	4.679	4.652	4.705	BB	38678	369924	7.21%	2.680%
3	6.857	6.828	6.886	BB	43211	427657	8.34%	3.099%
4	8.695	8.655	8.733	BB	44914	464988	9.06%	3.369%
5	10.313	10.277	10.347	BB	42136	447566	8.72%	3.243%
6	11.766	11.726	11.795	BB	41355	481216	9.38%	3.487%
7	13.085	13.044	13.129	BB	44164	518648	10.11%	3.758%
8	13.538	13.497	13.575	BB	445442	5130301	100.00%	37.173%
9	13.700	13.660	13.738	BB	41425	494923	9.65%	3.586%
10	14.290	14.259	14.323	BB	41335	511175	9.96%	3.704%
11	15.401	15.371	15.434	BB	41799	514400	10.03%	3.727%
12	16.428	16.397	16.469	BB	41116	515173	10.04%	3.733%
13	17.384	17.340	17.426	BB	41017	536747	10.46%	3.889%
14	18.276	18.230	18.315	BB	43496	592200	11.54%	4.291%
15	19.112	19.063	19.154	BB	41880	599632	11.69%	4.345%
16	19.899	19.850	19.945	BB	38208	555946	10.84%	4.028%
17	20.642	20.593	20.680	BB	34810	492166	9.59%	3.566%
18	21.432	21.370	21.484	BB	23715	442576	8.63%	3.207%
19	22.434	22.366	22.504	BB	15765	402947	7.85%	2.920%
Sum of corrected areas:						13801320		

Aliphatic EPH 061325.M Tue Jun 17 05:28:35 2025