

rteres

Instrument :

FID\_G

LabSampleId :

50 PPM TRPH STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/20/2022

Supervised By :Ankita Jodhani 06/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_G\Data\FG06172  
Data File : FG009898.D  
Signal(s) : FID1A.ch  
Acq On : 17 Jun 2022 15:28  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_G\Method\FG060122.M  
Title :

Signal : FID1A.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 1.851       | 1.773        | 1.918      | BB       | 569025         | 5940944      | 96.21%         | 5.816%        |
| 2                       | 4.357       | 4.311        | 4.405      | BB       | 584122         | 6174741      | 100.00%        | 6.045%        |
| 3                       | 6.534       | 6.489        | 6.577      | BB       | 580263         | 6052264      | 98.02%         | 5.925%        |
| 4                       | 8.365       | 8.330        | 8.412      | BB       | 564527         | 5983629      | 96.90%         | 5.858%        |
| 5                       | 9.975       | 9.943        | 10.021     | BB       | 540146         | 5918121      | 95.84%         | 5.794%        |
| 6                       | 11.421      | 11.351       | 11.453     | BB       | 506364         | 5925864      | 95.97%         | 5.801%        |
| 7                       | 12.734      | 12.693       | 12.782     | BB       | 467724         | 5799124      | 93.92%         | 5.677%        |
| 8                       | 13.934      | 13.884       | 13.984     | BB       | 458442         | 5733459      | 92.85%         | 5.613%        |
| 9                       | 14.837      | 14.788       | 14.868     | BV       | 369645         | 5096464      | 82.54%         | 4.989%        |
| 10                      | 15.041      | 14.998       | 15.093     | BB       | 433901         | 5675381      | 91.91%         | 5.556%        |
| 11                      | 16.065      | 16.014       | 16.118     | BB       | 415050         | 5659918      | 91.66%         | 5.541%        |
| 12                      | 17.018      | 16.965       | 17.075     | BB       | 398361         | 5720811      | 92.65%         | 5.601%        |
| 13                      | 17.908      | 17.849       | 17.973     | BB       | 412736         | 5979673      | 96.84%         | 5.854%        |
| 14                      | 18.744      | 18.686       | 18.813     | BB       | 407053         | 6067254      | 98.26%         | 5.940%        |
| 15                      | 19.530      | 19.476       | 19.606     | BB       | 375563         | 5902022      | 95.58%         | 5.778%        |
| 16                      | 20.271      | 20.213       | 20.359     | BB       | 337301         | 5325012      | 86.24%         | 5.213%        |
| 17                      | 20.989      | 20.925       | 21.072     | BB       | 256894         | 4645247      | 75.23%         | 4.548%        |
| 18                      | 21.849      | 21.774       | 21.950     | BBA      | 184273         | 4546220      | 73.63%         | 4.451%        |
| Sum of corrected areas: |             |              |            |          |                | 102146149    |                |               |

FG060122.M Tue Jun 21 11:26:09 2022