

rteres

Instrument :

FID\_G

LabSampleId :

5 TRPH STD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_G\Data\FG062423.M  
Data File : FG012294.D  
Signal(s) : FID1A.ch  
Acq On : 24 Jun 2023 17:07  
Sample : 5 TRPH STD  
Misc :  
ALS Vial : 57 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/26/2023  
Supervised By :Ankita Jodhani 06/26/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_F\Method\FG062423.M  
Title :

Signal : FID1A.ch

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 2.024       | 1.988        | 2.090      | BB       | 56068          | 700976       | 82.30%         | 5.330%        |
| 2                       | 4.529       | 4.497        | 4.576      | BB       | 70367          | 733157       | 86.08%         | 5.575%        |
| 3                       | 6.696       | 6.667        | 6.740      | BB       | 73203          | 734736       | 86.27%         | 5.587%        |
| 4                       | 8.524       | 8.487        | 8.590      | BB       | 59407          | 672939       | 79.01%         | 5.117%        |
| 5                       | 10.133      | 10.099       | 10.207     | BB       | 62905          | 756605       | 88.84%         | 5.753%        |
| 6                       | 11.577      | 11.546       | 11.630     | BB       | 64126          | 771841       | 90.63%         | 5.869%        |
| 7                       | 12.888      | 12.854       | 12.945     | BB       | 62842          | 768373       | 90.22%         | 5.843%        |
| 8                       | 14.087      | 14.044       | 14.143     | BB       | 58365          | 731548       | 85.89%         | 5.563%        |
| 9                       | 14.988      | 14.946       | 15.016     | BV       | 46496          | 641211       | 75.29%         | 4.876%        |
| 10                      | 15.191      | 15.126       | 15.253     | BB       | 54958          | 851683       | 100.00%        | 6.476%        |
| 11                      | 16.214      | 16.169       | 16.269     | BB       | 51277          | 704757       | 82.75%         | 5.359%        |
| 12                      | 17.164      | 17.116       | 17.215     | BB       | 50540          | 708514       | 83.19%         | 5.388%        |
| 13                      | 18.052      | 18.005       | 18.101     | BB       | 54411          | 749363       | 87.99%         | 5.698%        |
| 14                      | 18.886      | 18.832       | 18.942     | BB       | 54060          | 767570       | 90.12%         | 5.837%        |
| 15                      | 19.670      | 19.610       | 19.713     | BB       | 49604          | 722662       | 84.85%         | 5.495%        |
| 16                      | 20.412      | 20.350       | 20.446     | BV       | 46374          | 676672       | 79.45%         | 5.145%        |
| 17                      | 21.149      | 21.080       | 21.218     | BB       | 40540          | 711947       | 83.59%         | 5.414%        |
| 18                      | 22.059      | 21.986       | 22.178     | BB       | 28808          | 746497       | 87.65%         | 5.676%        |
| Sum of corrected areas: |             |              |            |          |                | 13151052     |                |               |

FG062423.M Sun Jun 25 04:59:10 2023