

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG062424\
 Data File : FG013895.D
 Signal(s) : FID1A.ch
 Acq On : 24 Jun 2024 19:59
 Operator : YP\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jun 25 04:23:09 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG052824.M
 Quant Title :
 QLast Update : Tue May 28 12:12:14 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.966	5810578	52.726 ug/ml
Target Compounds			
1) N-OCTANE	1.975	5909477	49.191 ug/ml
2) N-DECANE	4.484	6612558	54.347 ug/ml
3) N-DODECANE	6.658	6726901	54.160 ug/ml
4) N-TETRADECANE	8.491	6767887	53.095 ug/ml
5) N-HEXADECANE	10.103	6873827	53.832 ug/ml
6) N-OCTADECANE	11.550	6936458	53.853 ug/ml
7) N-EICOSANE	12.863	6789727	52.609 ug/ml
8) N-DOCOSANE	14.064	6637459	53.279 ug/ml
10) N-TETRACOSANE	15.170	6598727	53.499 ug/ml
11) N-HEXACOSANE	16.195	6477366	53.332 ug/ml
12) N-OCTACOSANE	17.146	6433466	54.291 ug/ml
13) N-TRIACONTANE	18.038	6331549	53.909 ug/ml
14) N-DOTRIACONTANE	18.871	5814475	51.726 ug/ml
15) N-TETRATRIACONTANE	19.657	5300383	51.541 ug/ml
16) N-HEXATRIACONTANE	20.398	4502949	50.586 ug/ml
17) N-OCTATRIACONTANE	21.133	4206862	53.443 ug/ml
18) N-TETRACONTANE	22.039	4272864	65.433 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG062424\
Data File : FG013895.D
Signal(s) : FID1A.ch
Acq On : 24 Jun 2024 19:59
Operator : YP\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jun 25 04:23:09 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG052824.M
Quant Title :
QLast Update : Tue May 28 12:12:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 1.975 min
Delta R.T.: -0.014 min
Response: 5909477
Conc: 49.19 ug/ml

Instrument :
FID_G
ClientSampleId :




#2 N-DECANE

R.T.: 4.484 min
Delta R.T.: -0.013 min
Response: 6612558
Conc: 54.35 ug/ml




#3 N-DODECANE

R.T.: 6.658 min
Delta R.T.: -0.010 min
Response: 6726901
Conc: 54.16 ug/ml



#4 N-TETRADECANE


R.T.: 8.491 min
Delta R.T.: -0.009 min
Response: 6767887
Conc: 53.09 ug/ml



#5 N-HEXADECANE


R.T.: 10.103 min
Delta R.T.: -0.009 min
Response: 6873827
Conc: 53.83 ug/ml

Instrument :
FID_G
ClientSampleId :




#6 N-OCTADECANE

R.T.: 11.550 min
Delta R.T.: -0.008 min
Response: 6936458
Conc: 53.85 ug/ml




#7 N-EICOSANE

R.T.: 12.863 min
Delta R.T.: -0.009 min
Response: 6789727
Conc: 52.61 ug/ml



#8 N-DOCOSANE


R.T.: 14.064 min
Delta R.T.: -0.009 min
Response: 6637459
Conc: 53.28 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.966 min
Delta R.T.: -0.009 min
Response: 5810578
Conc: 52.73 ug/ml

Instrument :
FID_G
ClientSampleId :




#10 N-TETRACOSANE

R.T.: 15.170 min
Delta R.T.: -0.009 min
Response: 6598727
Conc: 53.50 ug/ml




#11 N-HEXACOSANE

R.T.: 16.195 min
Delta R.T.: -0.008 min
Response: 6477366
Conc: 53.33 ug/ml



#12 N-OCTACOSANE


R.T.: 17.146 min
Delta R.T.: -0.009 min
Response: 6433466
Conc: 54.29 ug/ml



#13 N-TRIACONTANE


R.T.: 18.038 min
Delta R.T.: -0.009 min
Response: 6331549
Conc: 53.91 ug/ml

Instrument :
FID_G
ClientSampleId :




#14 N-DOTRIACONTANE

R.T.: 18.871 min
Delta R.T.: -0.010 min
Response: 5814475
Conc: 51.73 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.657 min
Delta R.T.: -0.011 min
Response: 5300383
Conc: 51.54 ug/ml



#16 N-HEXATRIACONTANE


R.T.: 20.398 min
Delta R.T.: -0.012 min
Response: 4502949
Conc: 50.59 ug/ml



#17 N-OCTATRIACONTANE

R.T.: 21.133 min
Delta R.T.: -0.013 min
Response: 4206862
Conc: 53.44 ug/ml

Instrument :
FID_G
ClientSampleId :



#18 N-TETRACONTANE

R.T.: 22.039 min
Delta R.T.: -0.018 min
Response: 4272864
Conc: 65.43 ug/ml