

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG072722\
Data File : FG010227.D
Signal(s) : FID1A.ch
Acq On : 27 Jul 2022 10:46
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG062922.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.825	1.791	1.918	BB	467860	5687033	95.40%	8.321%
2	4.337	4.298	4.400	BBA	526384	5827825	97.76%	8.527%
3	6.519	6.485	6.581	BB	570791	5886516	98.74%	8.613%
4	8.351	8.269	8.410	BBA	546928	5958205	99.94%	8.718%
5	9.960	9.923	10.000	BBA	536621	5948498	99.78%	8.704%
6	11.405	11.369	11.438	VV	514369	5961498	100.00%	8.723%
7	12.717	12.628	12.774	BB	475456	5818123	97.59%	8.513%
8	13.918	13.864	13.970	BB	435983	5716715	95.89%	8.365%
9	14.819	14.765	14.884	BB	349237	5017531	84.17%	7.342%
10	15.024	14.937	15.066	BB	425672	5625070	94.36%	8.231%
11	16.047	15.980	16.100	BBA	408125	5500308	92.26%	8.048%
12	16.999	16.842	17.047	BB	387694	5396135	90.52%	7.896%
Sum of corrected areas:						68343456		

FG062922.M Thu Jul 28 08:45:22 2022