

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG080823\
 Data File : FG012617.D
 Signal(s) : FID1A.ch
 Acq On : 08 Aug 2023 10:19
 Operator : YP\AJ
 Sample : 03572-01
 Misc : DRO LOQ 2.5 PPM
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023

Integration File: autoint1.e
 Quant Time: Aug 09 02:16:15 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080223.M
 Quant Title :
 QLast Update : Wed Aug 02 18:57:31 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	15.080	2577881	23.044 ug/ml
Target Compounds			
2) N-DECANE	4.597	377583	2.972 ug/ml
3) N-DODECANE	6.769	385885	3.004 ug/ml
4) N-TETRADECANE	8.601	392925	3.050 ug/ml
5) N-HEXADECANE	10.213	393486	3.033 ug/ml
6) N-OCTADECANE	11.661	395956	3.019 ug/ml
7) N-EICOSANE	12.975	390301	3.035 ug/ml
8) N-DOCOSANE	14.176	381122	3.013 ug/ml
10) N-TETRACOSANE	15.282	379062	2.997 ug/ml
11) N-HEXACOSANE	16.306	368588	2.945 ug/ml
12) N-OCTACOSANE	17.256	367538	2.990 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG080823\
Data File : FG012617.D
Signal(s) : FID1A.ch
Acq On : 08 Aug 2023 10:19
Operator : YP\AJ
Sample : 03572-01
Misc : DRO LOQ 2.5 PPM
ALS Vial : 7 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023

Integration File: autoint1.e
Quant Time: Aug 09 02:16:15 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080223.M
Quant Title :
QLast Update : Wed Aug 02 18:57:31 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.597 min
Delta R.T.: -0.003 min
Response: 377583
Conc: 2.97 ug/ml

Instrument :
FID_G
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023




#3 N-DODECANE

R.T.: 6.769 min
Delta R.T.: -0.007 min
Response: 385885
Conc: 3.00 ug/ml




#4 N-TETRADECANE

R.T.: 8.601 min
Delta R.T.: -0.007 min
Response: 392925
Conc: 3.05 ug/ml



#5 N-HEXADECANE


R.T.: 10.213 min
Delta R.T.: -0.008 min
Response: 393486
Conc: 3.03 ug/ml



#6 N-OCTADECANE


R.T.: 11.661 min
Delta R.T.: -0.008 min
Response: 395956
Conc: 3.02 ug/ml

Instrument :
FID_G
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023




#7 N-EICOSANE

R.T.: 12.975 min
Delta R.T.: -0.007 min
Response: 390301
Conc: 3.03 ug/ml




#8 N-DOCOSANE

R.T.: 14.176 min
Delta R.T.: -0.007 min
Response: 381122
Conc: 3.01 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 15.080 min
Delta R.T.: -0.003 min
Response: 2577881
Conc: 23.04 ug/ml



#10 N-TETRACOSANE


R.T.: 15.282 min
Delta R.T.: -0.007 min
Response: 379062
Conc: 3.00 ug/ml

Instrument :
FID_G
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023



#11 N-HEXACOSANE

R.T.: 16.306 min
Delta R.T.: -0.005 min
Response: 368588
Conc: 2.94 ug/ml



#12 N-OCTACOSANE

R.T.: 17.256 min
Delta R.T.: -0.005 min
Response: 367538
Conc: 2.99 ug/ml