

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG082819\
 Data File : FG005775.D
 Signal(s) : FID1A.ch
 Acq On : 28 Aug 2019 17:36
 Operator : DD\AJ
 Sample : K4568-20MS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 SB-38-COMPMS

Integration File: autoint1.e
 Quant Time: Aug 28 22:39:15 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080819.M
 Quant Title :
 QLast Update : Thu Aug 08 16:03:53 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.739	2433845	19.050 ug/ml
Target Compounds			
2) N-DECANE	4.443	2292547	16.109 ug/ml
3) N-DODECANE	6.471	2405079	16.417 ug/ml
4) N-TETRADECANE	8.272	2429676	16.391 ug/ml
5) N-HEXADECANE	9.877	2485177	16.546 ug/ml
6) N-OCTADECANE	11.323	2440307	16.357 ug/ml
7) N-EICOSANE	12.636	2374304	15.830 ug/ml
8) N-DOCOSANE	13.838	2312758	15.671 ug/ml
10) N-TETRACOSANE	14.943	2319031	15.956 ug/ml
11) N-HEXACOSANE	15.966	2254184	15.705 ug/ml
12) N-OCTACOSANE	16.918	2343082	15.500 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG082819\
Data File : FG005775.D
Signal(s) : FID1A.ch
Acq On : 28 Aug 2019 17:36
Operator : DD\AJ
Sample : K4568-20MS
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
SB-38-COMPMS

Integration File: autoint1.e
Quant Time: Aug 28 22:39:15 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080819.M
Quant Title :
QLast Update : Thu Aug 08 16:03:53 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.443 min
Delta R.T.: -0.014 min
Response: 2292547
Conc: 16.11 ug/ml

Instrument :
FID_G
ClientSampleId :
SB-38-COMPMS




#3 N-DODECANE

R.T.: 6.471 min
Delta R.T.: -0.017 min
Response: 2405079
Conc: 16.42 ug/ml




#4 N-TETRADECANE

R.T.: 8.272 min
Delta R.T.: -0.018 min
Response: 2429676
Conc: 16.39 ug/ml



#5 N-HEXADECANE


R.T.: 9.877 min
Delta R.T.: -0.019 min
Response: 2485177
Conc: 16.55 ug/ml



#6 N-OCTADECANE


R.T.: 11.323 min
Delta R.T.: -0.020 min
Response: 2440307
Conc: 16.36 ug/ml

Instrument :
FID_G
ClientSampleId :
SB-38-COMPMS




#7 N-EICOSANE

R.T.: 12.636 min
Delta R.T.: -0.021 min
Response: 2374304
Conc: 15.83 ug/ml




#8 N-DOCOSANE

R.T.: 13.838 min
Delta R.T.: -0.020 min
Response: 2312758
Conc: 15.67 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.739 min
Delta R.T.: -0.020 min
Response: 2433845
Conc: 19.05 ug/ml



#10 N-TETRACOSANE


R.T.: 14.943 min
Delta R.T.: -0.022 min
Response: 2319031
Conc: 15.96 ug/ml

Instrument :
FID_G
ClientSampleId :
SB-38-COMPMS



#11 N-HEXACOSANE

R.T.: 15.966 min
Delta R.T.: -0.022 min
Response: 2254184
Conc: 15.71 ug/ml



#12 N-OCTACOSANE

R.T.: 16.918 min
Delta R.T.: -0.022 min
Response: 2343082
Conc: 15.50 ug/ml