

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG083019\
 Data File : FG005808.D
 Signal(s) : FID1A.ch
 Acq On : 30 Aug 2019 13:16
 Operator : DD\AJ
 Sample : PB122663BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Aug 30 14:20:31 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080819.M
 Quant Title :
 QLast Update : Thu Aug 08 16:03:53 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.737	2150960	16.836 ug/ml
Target Compounds			
1) N-OCTANE	2.330	1725576	12.388 ug/ml
2) N-DECANE	4.441	2224805	15.633 ug/ml
3) N-DODECANE	6.469	2418376	16.508 ug/ml
4) N-TETRADECANE	8.270	2562189	17.285 ug/ml
5) N-HEXADECANE	9.876	2639366	17.572 ug/ml
6) N-OCTADECANE	11.322	2629803	17.628 ug/ml
7) N-EICOSANE	12.636	2583843	17.227 ug/ml
8) N-DOCOSANE	13.836	2506162	16.982 ug/ml
10) N-TETRACOSANE	14.943	2459409	16.922 ug/ml
11) N-HEXACOSANE	15.966	2394125	16.680 ug/ml
12) N-OCTACOSANE	16.918	2384546	15.774 ug/ml
13) N-TRIACONTANE	17.807	2342014	15.485 ug/ml
14) N-DOTRIACONTANE	18.642	2081105	15.542 ug/ml
15) N-TETRATRIACONTANE	19.429	1507030	12.200 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG083019\
Data File : FG005808.D
Signal(s) : FID1A.ch
Acq On : 30 Aug 2019 13:16
Operator : DD\AJ
Sample : PB122663BS
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: Aug 30 14:20:31 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG080819.M
Quant Title :
QLast Update : Thu Aug 08 16:03:53 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#1 N-OCTANE


R.T.: 2.330 min
Delta R.T.: -0.016 min
Response: 1725576
Conc: 12.39 ug/ml

Instrument :
FID_G
ClientSampleId :




#2 N-DECANE

R.T.: 4.441 min
Delta R.T.: -0.016 min
Response: 2224805
Conc: 15.63 ug/ml




#3 N-DODECANE

R.T.: 6.469 min
Delta R.T.: -0.018 min
Response: 2418376
Conc: 16.51 ug/ml



#4 N-TETRADECANE


R.T.: 8.270 min
Delta R.T.: -0.020 min
Response: 2562189
Conc: 17.28 ug/ml



#5 N-HEXADECANE


R.T.: 9.876 min
Delta R.T.: -0.021 min
Response: 2639366
Conc: 17.57 ug/ml

Instrument :
FID_G
ClientSampleId :




#6 N-OCTADECANE

R.T.: 11.322 min
Delta R.T.: -0.020 min
Response: 2629803
Conc: 17.63 ug/ml




#7 N-EICOSANE

R.T.: 12.636 min
Delta R.T.: -0.021 min
Response: 2583843
Conc: 17.23 ug/ml



#8 N-DOCOSANE


R.T.: 13.836 min
Delta R.T.: -0.023 min
Response: 2506162
Conc: 16.98 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.737 min
Delta R.T.: -0.023 min
Response: 2150960
Conc: 16.84 ug/ml

Instrument :
FID_G
ClientSampleId :




#10 N-TETRACOSANE

R.T.: 14.943 min
Delta R.T.: -0.023 min
Response: 2459409
Conc: 16.92 ug/ml




#11 N-HEXACOSANE

R.T.: 15.966 min
Delta R.T.: -0.022 min
Response: 2394125
Conc: 16.68 ug/ml



#12 N-OCTACOSANE


R.T.: 16.918 min
Delta R.T.: -0.022 min
Response: 2384546
Conc: 15.77 ug/ml



#13 N-TRIACONTANE


R.T.: 17.807 min
Delta R.T.: -0.023 min
Response: 2342014
Conc: 15.48 ug/ml

Instrument :
FID_G
ClientSampleId :



#14 N-DOTRIACONTANE

R.T.: 18.642 min
Delta R.T.: -0.022 min
Response: 2081105
Conc: 15.54 ug/ml



#15 N-TETRATRIACONTANE

R.T.: 19.429 min
Delta R.T.: -0.021 min
Response: 1507030
Conc: 12.20 ug/ml