

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG090919\
 Data File : FG005878.D
 Signal(s) : FID1A.ch
 Acq On : 09 Sep 2019 11:01
 Operator : DD\AJ
 Sample : PB122890BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 PB122890BS

Integration File: Sample.e
 Quant Time: Sep 10 02:05:26 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG090719.M
 Quant Title :
 QLast Update : Mon Sep 09 05:03:58 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.729	2541223	22.619 ug/ml
Target Compounds			
2) N-DECANE	4.434	2759009	19.658 ug/ml
3) N-DODECANE	6.462	2843789	20.085 ug/ml
4) N-TETRADECANE	8.263	2854810	20.248 ug/ml
5) N-HEXADECANE	9.869	2868515	20.411 ug/ml
6) N-OCTADECANE	11.315	2828646	20.625 ug/ml
7) N-EICOSANE	12.628	2776731	20.451 ug/ml
8) N-DOCOSANE	13.829	2690812	20.456 ug/ml
10) N-TETRACOSANE	14.934	2617761	20.527 ug/ml
11) N-HEXACOSANE	15.956	2504092	20.434 ug/ml
12) N-OCTACOSANE	16.908	2410597	20.442 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG090919\
Data File : FG005878.D
Signal(s) : FID1A.ch
Acq On : 09 Sep 2019 11:01
Operator : DD\AJ
Sample : PB122890BS
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
PB122890BS

Integration File: Sample.e
Quant Time: Sep 10 02:05:26 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG090719.M
Quant Title :
QLast Update : Mon Sep 09 05:03:58 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE


R.T.: 4.434 min
Delta R.T.: 0.000 min
Response: 2759009
Conc: 19.66 ug/ml

Instrument :
FID_G
ClientSampleId :
PB122890BS




#3 N-DODECANE

R.T.: 6.462 min
Delta R.T.: -0.001 min
Response: 2843789
Conc: 20.09 ug/ml




#4 N-TETRADECANE

R.T.: 8.263 min
Delta R.T.: -0.002 min
Response: 2854810
Conc: 20.25 ug/ml



#5 N-HEXADECANE


R.T.: 9.869 min
Delta R.T.: -0.002 min
Response: 2868515
Conc: 20.41 ug/ml



#6 N-OCTADECANE


R.T.: 11.315 min
Delta R.T.: -0.002 min
Response: 2828646
Conc: 20.63 ug/ml

Instrument :
FID_G
ClientSampleId :
PB122890BS




#7 N-EICOSANE

R.T.: 12.628 min
Delta R.T.: 0.000 min
Response: 2776731
Conc: 20.45 ug/ml




#8 N-DOCOSANE

R.T.: 13.829 min
Delta R.T.: -0.001 min
Response: 2690812
Conc: 20.46 ug/ml



#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 14.729 min
Delta R.T.: -0.002 min
Response: 2541223
Conc: 22.62 ug/ml



#10 N-TETRACOSANE


R.T.: 14.934 min
Delta R.T.: -0.002 min
Response: 2617761
Conc: 20.53 ug/ml

Instrument :
FID_G
ClientSampleId :
PB122890BS



#11 N-HEXACOSANE

R.T.: 15.956 min
Delta R.T.: -0.002 min
Response: 2504092
Conc: 20.43 ug/ml



#12 N-OCTACOSANE

R.T.: 16.908 min
Delta R.T.: 0.000 min
Response: 2410597
Conc: 20.44 ug/ml