

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG091624AR\
 Data File : FG014244.D
 Signal(s) : FID1A.ch
 Acq On : 16 Sep 2024 09:46
 Operator : YP\AJ
 Sample : P3964-10DL 10X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_G
 ClientSampleId :
 CONVEYANA-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/17/2024
 Supervised By :Ankita Jodhani 09/17/2024

Integration File: autoint1.e
 Quant Time: Sep 17 04:50:51 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aromatic EPH 090424.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 04 11:28:29 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.882	551493	4.929 ug/ml
Spiked Amount 50.000		Recovery =	9.86%
6) S 2-Fluorobiphenyl (SURR)	8.760	428294	5.883 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	11.77%
11) S ortho-Terphenyl (SURR)	11.817	307360	2.280 ug/mlm
Spiked Amount 50.000		Recovery =	4.56%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG091624AR\
Data File : FG014244.D
Signal(s) : FID1A.ch
Acq On : 16 Sep 2024 09:46
Operator : YP\AJ
Sample : P3964-10DL 10X
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
FID_G
ClientSampleId :
CONVEYANA-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File: autoint1.e
Quant Time: Sep 17 04:50:51 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aromatic EPH 090424.M
Quant Title : GC Extractables
QLast Update : Wed Sep 04 11:28:29 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.882 min
Delta R.T.: -0.014 min
Response: 551493
Conc: 4.93 ug/ml

Instrument :
FID_G
ClientSampleId :
CONVEYANA-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.760 min
Delta R.T.: -0.014 min
Response: 428294
Conc: 5.88 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.817 min
Delta R.T.: -0.015 min
Response: 307360
Conc: 2.28 ug/ml m