

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG092118\
 Data File : FG002359.D
 Signal(s) : FID1A.ch
 Acq On : 21 Sep 2018 18:14
 Operator : AJ\SJ
 Sample : J4777-11MS 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: Sample.e
 Quant Time: Sep 21 23:58:51 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG083018.M
 Quant Title :
 QLast Update : Thu Aug 30 14:49:31 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.417	113859	0.902 ug/ml
Target Compounds			
2) N-DECANE	4.182	88026	0.733 ug/ml
3) N-DODECANE	6.192	108748	0.864 ug/ml
4) N-TETRADECANE	7.980	114465	0.872 ug/mlm
5) N-HEXADECANE	9.577	131315	0.965 ug/mlm
6) N-OCTADECANE	11.016	124481	0.886 ug/mlm
7) N-EICOSANE	12.321	166106	1.169 ug/mlm
8) N-DOCOSANE	13.520	133229	0.933 ug/mlm
10) N-TETRACOSANE	14.617	290450	2.032 ug/mlm
11) N-HEXACOSANE	15.642	138713	0.966 ug/ml
12) N-OCTACOSANE	16.592	158830	1.086 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG092118\
Data File : FG002359.D
Signal(s) : FID1A.ch
Acq On : 21 Sep 2018 18:14
Operator : AJ\SJ
Sample : J4777-11MS 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: Sample.e
Quant Time: Sep 21 23:58:51 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG083018.M
Quant Title :
QLast Update : Thu Aug 30 14:49:31 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.182 min
Delta R.T.: -0.007 min
Response: 88026
Conc: 0.73 ug/ml




#3 N-DODECANE

R.T.: 6.192 min
Delta R.T.: -0.008 min
Response: 108748
Conc: 0.86 ug/ml




#4 N-TETRADECANE

R.T.: 7.980 min
Delta R.T.: -0.010 min
Response: 114465
Conc: 0.87 ug/ml m




#5 N-HEXADECANE

R.T.: 9.577 min
Delta R.T.: -0.011 min
Response: 131315
Conc: 0.96 ug/ml m




#6 N-OCTADECANE

R.T.: 11.016 min
Delta R.T.: -0.010 min
Response: 124481
Conc: 0.89 ug/ml m




#7 N-EICOSANE

R.T.: 12.321 min
Delta R.T.: -0.011 min
Response: 166106
Conc: 1.17 ug/ml m




#8 N-DOCOSANE

R.T.: 13.520 min
Delta R.T.: -0.010 min
Response: 133229
Conc: 0.93 ug/ml m




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.417 min
Delta R.T.: -0.011 min
Response: 113859
Conc: 0.90 ug/ml




#10 N-TETRACOSANE

R.T.: 14.617 min
Delta R.T.: -0.015 min
Response: 290450
Conc: 2.03 ug/ml m



#11 N-HEXACOSANE

R.T.: 15.642 min
Delta R.T.: -0.010 min
Response: 138713
Conc: 0.97 ug/ml



#12 N-OCTACOSANE

R.T.: 16.592 min
Delta R.T.: -0.008 min
Response: 158830
Conc: 1.09 ug/ml