

rteres

Instrument :
FID_G
ClientSampleId :
LOD-MDL-WATER-01-QT4-2024
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG10112
Data File : FG014408.D
Signal(s) : FID1A.ch
Acq On : 11 Oct 2024 12:30
Sample : P4368-07
Misc : 1 PPM WATER LOD
ALS Vial : 62 Sample Multiplier: 1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/14/2024
Supervised By :Ankita Jodhani 10/14/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG100224.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.432	4.398	4.488	BB	11499	123317	5.60%	3.505%
2	6.604	6.578	6.653	BB	8940	94653	4.30%	2.690%
3	8.509	8.464	8.652	M	1512	84361	3.83%	2.397%
4	10.078	10.029	10.188	BB	4797	119464	5.43%	3.395%
5	11.506	11.447	11.603	BB	7912	140750	6.39%	4.000%
6	12.811	12.766	12.858	BV	9446	131106	5.96%	3.726%
7	14.009	13.909	14.083	BB	9849	147691	6.71%	4.197%
8	14.914	14.857	15.087	BV	104312	2201428	100.00%	62.562%
9	15.120	15.087	15.253	VB	6098	172922	7.85%	4.914%
10	16.161	16.067	16.262	BB	6048	145217	6.60%	4.127%
11	17.108	17.068	17.210	BV	6947	157892	7.17%	4.487%
Sum of corrected areas:						3518799		

FG100224.M Mon Oct 14 03:54:17 2024