

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG101322\
Data File : FG010894.D
Signal(s) : FID1A.ch
Acq On : 13 Oct 2022 09:01
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG092822.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.259	4.210	4.312	BB	669860	7076559	91.90%	8.804%
2	6.443	6.402	6.492	BB	686314	7230368	93.89%	8.995%
3	8.275	8.237	8.322	BB	669557	7287244	94.63%	9.066%
4	9.884	9.842	9.940	BB	644537	7548371	98.02%	9.391%
5	11.329	11.289	11.379	BB	638539	7695829	99.94%	9.574%
6	12.640	12.597	12.690	BB	615410	7700598	100.00%	9.580%
7	13.839	13.803	13.887	VB	587374	7508723	97.51%	9.341%
8	14.741	14.692	14.767	BV	467611	6536615	84.88%	8.132%
9	14.945	14.867	14.997	BB	546798	7470548	97.01%	9.294%
10	15.968	15.909	16.019	BB	528008	7229803	93.89%	8.994%
11	16.921	16.859	16.972	BB	504250	7097294	92.17%	8.829%
Sum of corrected areas:						80381950		

FG092822.M Thu Oct 13 10:51:30 2022