

rteres.txt
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG101424\
Data File : FG014424.D
Signal(s) : FID1A.ch
Acq On : 14 Oct 2024 10:38
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG100224.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.430	4.340	4.458	BV	704065	7005612	91.02%	8.733%
2	6.606	6.562	6.633	BV	702239	7164933	93.09%	8.932%
3	8.439	8.400	8.462	BV	663269	7141355	92.78%	8.902%
4	10.051	10.013	10.133	PV	651182	7445063	96.73%	9.281%
5	11.498	11.418	11.563	BV	634051	7619154	98.99%	9.498%
6	12.811	12.726	12.856	BV	625442	7696675	100.00%	9.594%
7	14.012	13.928	14.091	BV	583267	7488981	97.30%	9.336%
8	14.913	14.868	15.034	PB	478872	6714467	87.24%	8.370%
9	15.118	15.037	15.233	BB	567896	7437180	96.63%	9.271%
10	16.142	16.067	16.255	BB	533422	7339407	95.36%	9.149%
11	17.093	17.007	17.210	BV	533332	7167063	93.12%	8.934%
Sum of corrected areas:						80219890		

FG100224.M Tue Oct 15 02:30:57 2024