

rteres.txt
Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG101424\
Data File : FG014431.D
Signal(s) : FID1A.ch
Acq On : 14 Oct 2024 14:32
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG100224.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.431	4.389	4.459	BV	692716	6911060	90.27%	8.674%
2	6.605	6.572	6.632	BV	709632	7100354	92.75%	8.912%
3	8.438	8.400	8.460	BV	684033	7074860	92.41%	8.880%
4	10.049	10.005	10.135	BV	650229	7405166	96.73%	9.294%
5	11.494	11.439	11.557	BV	652508	7570138	98.88%	9.501%
6	12.808	12.755	12.855	BV	643925	7655644	100.00%	9.609%
7	14.009	13.916	14.104	BV	591937	7446172	97.26%	9.346%
8	14.910	14.868	15.031	BB	489938	6665068	87.06%	8.365%
9	15.115	15.043	15.220	BB	582836	7387836	96.50%	9.272%
10	16.138	16.011	16.266	BB	537796	7310692	95.49%	9.176%
11	17.090	17.000	17.223	BB	521988	7148676	93.38%	8.972%
Sum of corrected areas:					79675666			

FG100224.M Tue Oct 15 02:33:29 2024