

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG101521\
Data File : FG008881.D
Signal(s) : FID1A.ch
Acq On : 15 Oct 2021 09:16
Operator : AJ\MA
Sample : MECL2
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 16 00:49:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG100721.M
Quant Title :
QLast Update : Fri Oct 08 03:31:08 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
Target Compounds				
14)	N-DOTRIACONTANE	18.647	70622	0.666 ug/ml
15)	N-TETRATRIACONTANE	19.432	46280	0.465 ug/ml
16)	N-HEXATRIACONTANE	20.209	91514	0.991 ug/ml
18)	N-TETRACONTANE	21.907	118471	1.330 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG101521\
Data File : FG008881.D
Signal(s) : FID1A.ch
Acq On : 15 Oct 2021 09:16
Operator : AJ\MA
Sample : MECL2
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 16 00:49:08 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG100721.M
Quant Title :
QLast Update : Fri Oct 08 03:31:08 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#9 TETRACOSANE-d50 (SURROGATE)


R.T.: 0.000 min
Exp R.T.: 14.736 min
Response: 0
Conc: N.D.

Instrument :
FID_G
ClientSampleId :




#14 N-DOTRIACONTANE

R.T.: 18.647 min
Delta R.T.: 0.008 min
Response: 70622
Conc: 0.67 ug/ml




#15 N-TETRATRIACONTANE

R.T.: 19.432 min
Delta R.T.: 0.007 min
Response: 46280
Conc: 0.46 ug/ml



#16 N-HEXATRIACONTANE

R.T.: 20.209 min
Delta R.T.: 0.044 min
Response: 91514
Conc: 0.99 ug/ml



#18 N-TETRACONTANE

R.T.: 21.907 min
Delta R.T.: 0.050 min
Response: 118471
Conc: 1.33 ug/ml

Instrument :
FID_G
ClientSampleId :