

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG102424\
Data File : FG014510.D
Signal(s) : FID1A.ch
Acq On : 24 Oct 2024 19:00
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102124.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.597	4.545	4.657	BB	701453	7198970	93.64%	8.948%
2	6.769	6.721	6.827	BB	718061	7319886	95.21%	9.098%
3	8.600	8.551	8.647	BB	698532	7402386	96.28%	9.200%
4	10.211	10.159	10.263	PB	673617	7469341	97.15%	9.284%
5	11.656	11.543	11.714	BB	654151	7619596	99.11%	9.470%
6	12.968	12.917	13.035	BB	651149	7688332	100.00%	9.556%
7	14.168	14.130	14.243	VB	606213	7433784	96.69%	9.239%
8	15.067	15.022	15.099	VV	479362	6618439	86.08%	8.226%
9	15.272	15.189	15.338	BV	584472	7354072	95.65%	9.140%
10	16.293	16.206	16.352	BB	530017	7235650	94.11%	8.993%
11	17.244	17.148	17.303	BB	519946	7116551	92.56%	8.845%
Sum of corrected areas:						80457005		

FG102124.M Fri Oct 25 05:32:29 2024