

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG102524\
Data File : FG014517.D
Signal(s) : FID1A.ch
Acq On : 25 Oct 2024 09:24
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102124.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.597	4.563	4.663	BB	715364	7241097	96.00%	9.084%
2	6.767	6.716	6.827	BB	730384	7318757	97.03%	9.182%
3	8.598	8.562	8.643	BV	718191	7351582	97.47%	9.223%
4	10.209	10.158	10.270	VB	666556	7377839	97.82%	9.256%
5	11.655	11.556	11.701	BB	638112	7484823	99.23%	9.390%
6	12.967	12.881	13.036	BB	638521	7542602	100.00%	9.463%
7	14.167	14.132	14.210	VV	571909	7293568	96.70%	9.150%
8	15.067	15.021	15.092	VV	473424	6488233	86.02%	8.140%
9	15.271	15.236	15.338	VV	569288	7272634	96.42%	9.124%
10	16.293	16.226	16.356	BV	578219	7202230	95.49%	9.036%
11	17.243	17.166	17.279	VV	512757	7135371	94.60%	8.952%
Sum of corrected areas:						79708736		

FG102124.M Sat Oct 26 02:52:10 2024