

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_G\Data\FG102618\
 Data File : FG002673.D
 Signal(s) : FID1A.ch
 Acq On : 26 Oct 2018 15:43
 Operator : AJ\SJ
 Sample : 50 TRPH STD
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: Sample.e
 Quant Time: Oct 27 02:07:34 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
 Quant Title :
 QLast Update : Sat Oct 27 02:06:51 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.767	5201633	50.000 ug/ml
Target Compounds			
1) N-OCTANE	2.343	5979593	50.000 ug/ml
2) N-DECANE	4.460	6112233	50.000 ug/ml
3) N-DODECANE	6.491	6242315	50.000 ug/ml
4) N-TETRADECANE	8.292	6296800	50.000 ug/ml
5) N-HEXADECANE	9.899	6293004	50.000 ug/ml
6) N-OCTADECANE	11.346	6239459	50.000 ug/ml
7) N-EICOSANE	12.660	6118250	50.000 ug/ml
8) N-DOCOSANE	13.863	6011875	50.000 ug/ml
10) N-TETRACOSANE	14.971	5901368	50.000 ug/ml
11) N-HEXACOSANE	15.995	5821043	50.000 ug/ml
12) N-OCTACOSANE	16.949	5720429	50.000 ug/ml
13) N-TRIACONTANE	17.840	5606194	50.000 ug/ml
14) N-DOTRIACONTANE	18.675	5361430	50.000 ug/ml
15) N-TETRATRIACONTANE	19.462	5232934	50.000 ug/ml
16) N-HEXATRIACONTANE	20.205	4981331	50.000 ug/ml
17) N-OCTATRIACONTANE	20.975	4515630	50.000 ug/ml
18) N-TETRACONTANE	21.938	4510815	50.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_G\Data\FG102618\
Data File : FG002673.D
Signal(s) : FID1A.ch
Acq On : 26 Oct 2018 15:43
Operator : AJ\SJ
Sample : 50 TRPH STD
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: Sample.e
Quant Time: Oct 27 02:07:34 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
Quant Title :
QLast Update : Sat Oct 27 02:06:51 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

