

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_G\Data\FG102618\
 Data File : FG002677.D
 Signal(s) : FID1A.ch
 Acq On : 26 Oct 2018 17:53
 Operator : AJ\SJ
 Sample : FG102618ICV
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Integration File: Sample.e
 Quant Time: Oct 27 02:13:57 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
 Quant Title :
 QLast Update : Sat Oct 27 02:13:37 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.766	5073360	46.163 ug/ml
Target Compounds			
1) N-OCTANE	2.341	5801938	46.408 ug/ml
2) N-DECANE	4.460	5936237	46.543 ug/ml
3) N-DODECANE	6.491	6087843	46.707 ug/ml
4) N-TETRADECANE	8.292	6177315	46.718 ug/ml
5) N-HEXADECANE	9.899	6187716	46.468 ug/ml
6) N-OCTADECANE	11.346	6132100	46.354 ug/ml
7) N-EICOSANE	12.661	5992926	46.230 ug/ml
8) N-DOCOSANE	13.863	5875351	46.154 ug/ml
10) N-TETRACOSANE	14.972	5751019	46.035 ug/ml
11) N-HEXACOSANE	15.996	5666816	45.980 ug/ml
12) N-OCTACOSANE	16.948	5586258	45.929 ug/ml
13) N-TRIACONTANE	17.838	5519020	45.996 ug/ml
14) N-DOTRIACONTANE	18.674	5315349	46.108 ug/ml
15) N-TETRATRIACONTANE	19.462	5190815	46.678 ug/ml
16) N-HEXATRIACONTANE	20.205	4940065	46.915 ug/ml
17) N-OCTATRIACONTANE	20.974	4480096	47.068 ug/ml
18) N-TETRACONTANE	21.933	4474501	45.301 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : \\74.0.250.170\Terastorage\pestpcbsrv\HPCHEM1\FID_G\Data\FG102618\
Data File : FG002677.D
Signal(s) : FID1A.ch
Acq On : 26 Oct 2018 17:53
Operator : AJ\SJ
Sample : FG102618ICV
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: Sample.e
Quant Time: Oct 27 02:13:57 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
Quant Title :
QLast Update : Sat Oct 27 02:13:37 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um

