

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG103122\
Data File : FG011086.D
Signal(s) : FID1A.ch
Acq On : 31 Oct 2022 23:51
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102722.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.246	4.212	4.312	BB	602300	6599103	98.91%	9.504%
2	6.429	6.390	6.490	BB	637386	6667359	99.93%	9.602%
3	8.261	8.220	8.322	BB	599926	6624170	99.29%	9.540%
4	9.868	9.830	9.927	BB	593239	6671719	100.00%	9.609%
5	11.311	11.270	11.362	BB	541535	6634613	99.44%	9.555%
6	12.621	12.582	12.670	BB	527362	6479101	97.11%	9.331%
7	13.820	13.782	13.872	BB	485454	6197700	92.90%	8.926%
8	14.720	14.674	14.790	BB	390295	5472782	82.03%	7.882%
9	14.924	14.842	14.977	BB	460742	6137850	92.00%	8.840%
10	15.947	15.892	15.999	BB	444176	5974455	89.55%	8.604%
11	16.898	16.839	16.950	BB	438530	5976115	89.57%	8.607%
Sum of corrected areas:						69434967		

FG102722.M Tue Nov 01 07:57:21 2022