

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG111518\
 Data File : FG002975.D
 Signal(s) : FID1A.ch
 Acq On : 15 Nov 2018 15:33
 Operator : AJ\SJ
 Sample : J5950-01MSD
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 16 05:34:30 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
 Quant Title :
 QLast Update : Sat Oct 27 02:13:37 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.745	2367892	21.546 ug/ml
Target Compounds			
2) N-DECANE	4.457	2160672	16.941 ug/ml
3) N-DODECANE	6.486	2657206	20.387 ug/ml
4) N-TETRADECANE	8.285	2758007	20.858 ug/ml
5) N-HEXADECANE	9.888	3038463	22.818 ug/ml
6) N-OCTADECANE	11.333	2952503	22.319 ug/ml
7) N-EICOSANE	12.644	2833128	21.855 ug/ml
8) N-DOCOSANE	13.844	2819730	22.150 ug/ml
10) N-TETRACOSANE	14.949	2753493	22.041 ug/ml
11) N-HEXACOSANE	15.972	2731079	22.160 ug/ml
12) N-OCTACOSANE	16.924	2893578	23.791 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG111518\
Data File : FG002975.D
Signal(s) : FID1A.ch
Acq On : 15 Nov 2018 15:33
Operator : AJ\SJ
Sample : J5950-01MSD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 16 05:34:30 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG102618.M
Quant Title :
QLast Update : Sat Oct 27 02:13:37 2018
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.457 min
Delta R.T.: -0.002 min
Response: 2160672
Conc: 16.94 ug/ml




#3 N-DODECANE

R.T.: 6.486 min
Delta R.T.: -0.003 min
Response: 2657206
Conc: 20.39 ug/ml




#4 N-TETRADECANE

R.T.: 8.285 min
Delta R.T.: -0.005 min
Response: 2758007
Conc: 20.86 ug/ml




#5 N-HEXADECANE

R.T.: 9.888 min
Delta R.T.: -0.007 min
Response: 3038463
Conc: 22.82 ug/ml




#6 N-OCTADECANE

R.T.: 11.333 min
Delta R.T.: -0.009 min
Response: 2952503
Conc: 22.32 ug/ml




#7 N-EICOSANE

R.T.: 12.644 min
Delta R.T.: -0.012 min
Response: 2833128
Conc: 21.85 ug/ml




#8 N-DOCOSANE

R.T.: 13.844 min
Delta R.T.: -0.015 min
Response: 2819730
Conc: 22.15 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.745 min
Delta R.T.: -0.019 min
Response: 2367892
Conc: 21.55 ug/ml




#10 N-TETRACOSANE

R.T.: 14.949 min
Delta R.T.: -0.018 min
Response: 2753493
Conc: 22.04 ug/ml



#11 N-HEXACOSANE

R.T.: 15.972 min
Delta R.T.: -0.019 min
Response: 2731079
Conc: 22.16 ug/ml



#12 N-OCTACOSANE

R.T.: 16.924 min
Delta R.T.: -0.020 min
Response: 2893578
Conc: 23.79 ug/ml