

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120225\
Data File : FG017044.D
Signal(s) : FID1A.ch
Acq On : 02 Dec 2025 16:32
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG120125.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.615	4.561	4.782	BB	610263	6264604	96.71%	9.292%
2	6.798	6.761	6.999	BB	593979	6356554	98.12%	9.429%
3	8.637	8.597	8.854	BB	553112	6309456	97.40%	9.359%
4	10.255	10.217	10.472	BB	531110	6220062	96.02%	9.226%
5	11.708	11.661	11.932	BB	525523	6374893	98.41%	9.456%
6	13.027	12.974	13.221	BB	507676	6478043	100.00%	9.609%
7	14.234	14.159	14.404	BB	486162	6224212	96.08%	9.232%
8	15.140	15.097	15.299	PV	389454	5388243	83.18%	7.992%
9	15.345	15.299	15.512	VB	462789	6115278	94.40%	9.071%
10	16.373	16.309	16.552	BV	430489	5863856	90.52%	8.698%
11	17.329	17.157	17.506	BB	418037	5822655	89.88%	8.637%
Sum of corrected areas:						67417856		

FG120125.M Wed Dec 03 03:46:26 2025