

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG120325\
Data File : FG017061.D
Signal(s) : FID1A.ch
Acq On : 03 Dec 2025 14:19
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG120125.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.618	4.582	4.759	BB	633974	6461079	99.82%	9.546%
2	6.801	6.762	6.939	BV	633839	6456235	99.74%	9.539%
3	8.641	8.602	8.817	BB	572972	6377776	98.53%	9.423%
4	10.259	10.224	10.450	BB	551321	6279815	97.02%	9.278%
5	11.713	11.662	11.875	BB	549074	6392693	98.76%	9.445%
6	13.032	12.990	13.172	BB	537139	6472821	100.00%	9.563%
7	14.239	14.201	14.347	VB	487725	6185809	95.57%	9.139%
8	15.145	15.099	15.279	PB	401271	5386930	83.22%	7.959%
9	15.351	15.287	15.470	BB	477474	6081565	93.96%	8.985%
10	16.378	16.274	16.529	BB	426814	5823478	89.97%	8.604%
11	17.334	17.240	17.467	BB	422504	5764469	89.06%	8.517%
Sum of corrected areas:						67682669		

FG120125.M Thu Dec 04 01:17:31 2025